



Installation kit with connector







- Installation kit with connector for lamps in terrariums
- Safe operation of energy-saving and incandescent lamps, halogen spot lamps, neodymium spot lamps, UV spot lamps (only in a vertical position) and ceramic lamps
- Easy to install: quick coupling pre-assembled mounting plate, screws and switch.
- Heat and dimension stable to 270 °C
- Package contents: installation kit with connector for lamps in terrariums, TempSet connect



Country: Faroe Islands Language: English







Product information

Modelled on nature

Terrarium animals are cold-blooded animals, which are strongly dependent on light, particularly on the quality and intensity of the light. Activity, food intake, digestion or rest phases are influenced by the change of day and night. Depending on the light source, there are differences in output and quality of the light.

Safety in the terrarium
The JBL installation kit is suitable for the safe operation of energy-saving and incandescent lamps, halogen spot lamps, neodymium spot lamps, UV spot lamps (only in a vertical position) and ceramic lamps in the terrarium. The kit is heat resistant and keeps its shape up to 270 °C and the switch is suitable for up to 250 W.

Easy to install

TempSet connect is pre-assembled and is equipped with a guick coupling.

| Further information | |
|-----------------------|----------|
| FAQ | × |
| Blog | × |
| Press | ~ |
| Laboratory/calculator | × |
| Worth reading | × |
| Spare parts | × |
| Video | × |
| GarantiePlus | × |
| Instructions | ~ |
| QR code | |







JBL TempSet connect Product details



| JBL TempSet connect |
|---------------------|
| 7118200 |
| 4014162711823 |
| |
| E 27 |
| - |
| - |
| - |
| - |
| - |
| 1 |
| 198 g |
| 156 g |
| 1000 |
| |

| Disposal | |
|-------------------------|---------------------------------------|
| Product name | JBL TempSet connect |
| Art. No. | 7118200 |
| Green dot | ✓ |
| Group electronic waste | X Leuchten aus privaten Haushalten |
| Disposal weight | 156 g |
| Battery type | - |
| Battery return | - |
| Battery rechargeable | - |
| Disposal weight battery | - |
| Non-returnable glass | - |
| PPK | 42 g |
| Plastic small | - |
| Plastic large | - |
| Disposal weight metal | 0 g |

| Features | |
|-------------------|---------------------|
| Product name | JBL TempSet connect |
| Art. No. | 7118200 |
| Animal species | - |
| Animal size | - |
| Animal age group | - |
| Volume of habitat | - |
| Material | - |



Date: 31.12.2023 Produced by:

TECHNICAL PRODUCTS TECHNIK TECHNIQUE





| Features | |
|----------------------|---|
| Food type | - |
| Colour | - |
| Dosage | - |
| Transport conditions | - |







| Electronic label / illuminant | |
|-------------------------------|---------------------|
| Product name | JBL TempSet connect |
| Art. No. | 7118200 |
| Ambient temperature | - |
| Start time | - |
| Mercury | - |
| Tube length | - |
| Service life | - |
| Lumen | - |
| CRI value | - |
| Dimmable | - |
| Switching cycles | - |
| PAR value | - |
| Energy efficiency class | - |
| UV-A | - |
| UV-B | - |
| UV-C | - |
| Colour temperature | - |
| Base designation | - |

| Technical data | |
|-------------------------------|---------------------|
| Product name | JBL TempSet connect |
| Art. No. | 7118200 |
| Range in litres | - |
| Range from - to | - |
| Range in days | - |
| Range tank length | - |
| Output in watts | - |
| Output per hour | - |
| Output per day | - |
| Height | - |
| Length | - |
| Width | - |
| Diameter | - |
| Voltage | - |
| For | - |
| T8 26mm (watt) | - |
| T5 16mm (watt) | - |
| Size | - |
| Content for | - |
| Filter container volume | - |
| Volume filter media | - |
| Hose connections pressure/out | - |
| Hose connections suction/in | - |
| Delivery head | - |







| Food type | - |
|------------------|---|
| Sub product type | - |
| Dosing | - |



Date: 31.12.2023 Produced by:







Additional information for the specialist trade sector

| Article data | |
|----------------------|----------------------|
| Product name | JBL TempSet connect |
| Art. No. | 7118200 |
| VAT | 19% |
| Sales unit (SU) | 1 |
| Volume packaging | 1.15l |
| Dimensions (I/w/h) | 75 mm/75 mm/205 mm |
| Layer | 135 |
| Pallet | 945 |
| Category of products | 2 |
| Customs tariff | 85366190 |
| Country of origin | DE |
| Type of packaging | Faltschachtel/Karton |

| PU 1 data | |
|------------------|---------------------|
| Product name | JBL TempSet connect |
| Art. No. | 7118200 |
| PU 1 material | cardboard gr |
| PU 1 weight | 456 g |
| PU 1 lengh | 385 mm |
| PU 1 width/depth | 250 mm |
| PU 1 height | 362 mm |

| PU 2 data | |
|------------------|---------------------|
| Product name | JBL TempSet connect |
| Art. No. | 7118200 |
| PU 2 material | None |
| PU 2 weight | - |
| PU 2 lengh | - |
| PU 2 width/depth | - |
| PU 2 height | - |

| Trade data | |
|-------------------|---------------------|
| Product name | JBL TempSet connect |
| Art. No. | 7118200 |
| Till receipt text | TempSet connect |
| Shelf placement | - |



31.12.2023 Date: Produced by: