



# P

## JBL PROPOND STERLET S

Complete food for small sterlets

Suitable for: 🔺



- Complete food with the right protein/fat ratio 3:1 in accordance with the NEO index which takes temperature, function, animal size and age into account
- With salmon, shrimp, octopus, spirulina and gammarus for a natural diet for sterlets (at 10-25 °C water temperature)
- Food size S (3 mm) for fish from 10-30 cm
- Sinking pearls with 40 % protein, 12 % fat, 2 % crude fibre and 8 % crude ash
- Small food pearls in resealable bag (air, water and lightproof) for the preservation of quality



You may also be interested in You can find a co

You can find a complete overview here: https://www.jbl.de/qr/41276





JBL PROPOND ALL SEASONS S All-season food for small koi & pond fish



JBL PROPOND ALL SEASONS M All-season food for koi and pond fish



JBL PROPOND GOLDFISH S Food sticks for small goldfish



JBL PROPOND GOLDFISH M Food sticks for medium-sized to large goldfish





#### Product information

Sturgeons are very special fish. Their body shape indicates their way of life: They swim near the ground and use their barbels (chemosensor organ) to feel for small invertebrates, which they would eat in the wild. JBL ProPond Sterlet has been adapted to suit these eating habits, both in its composition (increased share of invertebrates) and in its sinking behaviour. Even if sturgeons can learn to feed at the water surface, this feeding behaviour doesn't represent their natural behaviour and harbours the risk of excessive air swallowing. Sturgeons should always be fed with their own food because it has a dedicated composition and the sturgeons could hurt the koi's mucous membrane with their bone plates when fighting for their food. In practice you can feed your goldfish and koi on the surface at a corner of the pond and your sturgeons with sinking sturgeon food at the other corner.

| Further information   |   |
|-----------------------|---|
| FAQ                   | ✓ |
| Blog                  | ✓ |
| Press                 | ✓ |
| Laboratory/calculator | × |
| Worth reading         | ✓ |
| Spare parts           | × |
| Video                 | ✓ |
| GarantiePlus          | × |
| Instructions          | × |
| QR code               |   |





### Product details

| Article data             |                              |                              |                              |                             |
|--------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|
| Product name             | JBL PROPOND STERLET S 0.5 kg | JBL PROPOND STERLET S 1.5 kg | JBL PROPOND STERLET S 3.0 kg | JBL PROPOND STERLET S 0.5kg |
| Art. No.                 | 4127600                      | 4127700                      | 4127800                      | 4128100                     |
| EAN number               | 4014162412768                | 4014162412775                | 4014162412782                | 4014162412812               |
| EAN as barcode           |                              |                              |                              |                             |
| Weight                   | 0,5 kg                       | 1,5 kg                       | 3,0 kg                       | 0,5 kg                      |
| Size                     | 11                           | 31                           | 61                           | 11                          |
| Expiry months            | 36                           | 36                           | 36                           | 36                          |
| RRP incl. VAT            | 12,63 €                      | 32,49 €                      | 55,46 €                      | 13,18€                      |
| Base price               | 25.26€                       | 21.66€                       | 18.49€                       | 26.36€                      |
| Nominal filling quantity | 0.5 kg                       | 1.5 kg                       | 3 kg                         | 0.5 kg                      |
| Base quantity            | 1 kg                         | 1 kg                         | 1 kg                         | 1 kg                        |
| Gross weight             | 578.9 g                      | 1538 g                       | 3054 g                       | 579.956 g                   |
| Net weight               | 500 g                        | 1500 g                       | 3000 g                       | 500 g                       |
| Weight change            | -                            | -                            | -                            | -                           |
|                          | ·                            |                              |                              |                             |
| Disposal                 |                              |                              |                              |                             |
| Product name             | JBL PROPOND STERLET S 0.5 kg | JBL PROPOND STERLET S 1.5 kg | JBL PROPOND STERLET S 3.0 kg | JBL PROPOND STERLET S 0.5kg |
| Art. No.                 | 4127600                      | 4127700                      | 4127800                      | 4128100                     |
| Green dot                | $\checkmark$                 | $\checkmark$                 | $\checkmark$                 | $\checkmark$                |
| Group electronic waste   | -                            | -                            | -                            | -                           |
| Disposal weight          | -                            | -                            | -                            | -                           |
| Battery type             | -                            | -                            | -                            | -                           |
| Battery return           | -                            | -                            | -                            | -                           |
| Battery rechargeable     | -                            | -                            | -                            | -                           |
| Disposal weight batton   |                              |                              |                              |                             |

| Green dot               | ✓      | ✓    | ✓    | ✓       |
|-------------------------|--------|------|------|---------|
| Group electronic waste  | -      | -    | -    | -       |
| Disposal weight         | -      | -    | -    | -       |
| Battery type            | -      | -    | -    | -       |
| Battery return          | -      | -    | -    | -       |
| Battery rechargeable    | -      | -    | -    | -       |
| Disposal weight battery | -      | -    | -    | -       |
| Non-returnable glass    | -      | -    | -    | -       |
| РРК                     | -      | -    | -    | -       |
| Plastic small           | 78.9 g | 38 g | -    | 79.96 g |
| Plastic large           | -      | -    | 54 g | -       |
| Disposal weight metal   | 0 g    | 0 g  | 0 g  | 0 g     |

| Features          |   |   |   |   |
|-------------------|---|---|---|---|
| Product name      | JBL PROPOND STERLET S 0.5 kg  | JBL PROPOND STERLET S 1.5 kg  | JBL PROPOND STERLET S 3.0 kg  | JBL PROPOND STERLET S 0.5kg   |
| Art. No.          | 4127600   | 4127700   | 4127800   | 4128100   |
| Animal species    | Sturgeons   | Sturgeons   | Sturgeons   | Sturgeons   |
| Animal size       | 10 - 30 cm  |
| Animal age group  | Small sterlets  | Small sterlets  | Small sterlets  | Small sterlets  |
| Volume of habitat | For all ponds   | For all ponds   | For all ponds   | For all ponds   |
| Material          | You will find details of the<br>materials used under Details &<br>Composition | You will find details of the<br>materials used under Details &<br>Composition | You will find details of the<br>materials used under Details &<br>Composition | You will find details of the<br>materials used under Details &<br>Composition |









| Features             |  |   |  |   |
|----------------------|--|---|--|---|
| Food type            | sinking pearls   | sinking pearls  | sinking pearls   |   |
| Colour               | brown  | brown   | brown  | brown   |
| Dosage               | Feed 1 – 2 times a day, as much as can be eaten within a few minutes | Feed 1 – 2 times a day, as much as<br>can be eaten within a few minutes | Feed 1 – 2 times a day, as much as can be eaten within a few minutes | Feed 1 – 2 times a day, as much as<br>can be eaten within a few minutes |
| Transport conditions | -  | -   | -  | -   |





| Electronic label / illumina   | nt   |   |   |  |   |                                      |        |  |  |  |  |        |  |  |
|---|--|---|---|--|---|--------------------------------------|--------|--|--|--|--|--------|--|--|
| Product name  | JBL PROPOND STERLET S 0.5 kg   | JBL PROPOND STERLET S 1.5 kg  | JBL PROPOND STERLET S 3.0 kg  | JBL PROPOND STERLET S 0.5kg  |   |                                      |        |  |  |  |  |        |  |  |
| Art. No.  | 4127600  | 4127700   | 4127800   | 4128100  |   |                                      |        |  |  |  |  |        |  |  |
| Ambient temperature   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Start time  | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Mercury   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Tube length   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Service life  | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Lumen   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| CRI value   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Dimmable  | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Switching cycles  | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| PAR value   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Energy efficiency class   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| UV-A  | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| UV-B  | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| UV-C  | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Colour temperature  | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Base designation  | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| 5   | <u></u>  |   |   |  |   |                                      |        |  |  |  |  |        |  |  |
| Technical data  |  |   |   |  |   |                                      |        |  |  |  |  |        |  |  |
| Product name  | JBL PROPOND STERLET S 0.5 kg   | JBL PROPOND STERLET S 1.5 kg  | JBL PROPOND STERLET S 3.0 kg  | JBL PROPOND STERLET S 0.5kg  |   |                                      |        |  |  |  |  |        |  |  |
| Art. No.  | 4127600  | 4127700   | 4127800   | 4128100  |   |                                      |        |  |  |  |  |        |  |  |
| Range in litres   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Range from - to   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Range in days   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Range tank length   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Output in watts   |  |   |   |  |   |                                      |        |  |  |  |  |        |  |  |
| 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2   | -  | -   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
|   | -  |   | -   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour Output per day  | -<br>-<br>-  | -<br>-<br>-   | -<br>-<br>-   |  |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day   |  | -<br>-<br>-<br>-  | -<br>-<br>-   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height   | -  | -<br>-<br>-<br>-  | -<br>-<br>-<br>-  | -  |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height<br>Length   | -  | -<br>-<br>-<br>-<br>-   | -<br>-<br>-<br>-<br>-   | -  |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height<br>Length<br>Width  | -<br>-<br>-  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-  | -<br>-<br>-<br>-<br>-<br>-  | -<br>-<br>-<br>-   |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height<br>Length<br>Width<br>Diameter  | -<br>-<br>-  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-   | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-   | -<br>-<br>-<br>-   |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height<br>Length<br>Width<br>Diameter<br>Voltage   | -<br>-<br>-<br>-   | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-                                    | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-   | -<br>-<br>-<br>-<br>-  |   |                                      |        |  |  |  |  |        |  |  |
| Dutput per hour<br>Dutput per day<br>Height<br>Length<br>Midth<br>Diameter<br>Voltage<br>For  | -<br>-<br>-<br>-   | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>- | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-  | -<br>-<br>-<br>-<br>-<br>-   |   |                                      |        |  |  |  |  |        |  |  |
| Dutput per hour<br>Dutput per day<br>Height<br>Length<br>Midth<br>Diameter<br>Voltage<br>For<br>T8 26mm (watt)  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-   | -   | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-   |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height<br>Length<br>Width<br>Diameter<br>Voltage<br>For<br>T8 26mm (watt)<br>T5 16mm (watt)  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-   | -<br>-  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-   | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-   |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height<br>Length<br>Width<br>Diameter<br>Voltage<br>For<br>T8 26mm (watt)<br>T5 16mm (watt)<br>Size  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-   | -<br>-  | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-<br>-  |  |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height<br>Length<br>Width<br>Diameter<br>Voltage<br>For<br>T8 26mm (watt)<br>T5 16mm (watt)<br>Size<br>Content for   | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-   | -<br>-  |   |  |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height<br>Length<br>Width<br>Diameter<br>Voltage<br>For<br>T8 26mm (watt)<br>T5 16mm (watt)<br>Size<br>Content for<br>Filter container volume                        | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-   | -<br>-  | -         - <tr td=""> <!--</td--><td></td></tr> <tr><td>Output per hour<br/>Output per day<br/>Height<br/>Length<br/>Width<br/>Diameter<br/>Voltage<br/>For<br/>T8 26mm (watt)<br/>T5 16mm (watt)<br/>Size<br/>Content for<br/>Filter container volume<br/>Volume filter media</td><td>-<br/>-<br/>-<br/>-<br/>-<br/>-<br/>-<br/>-</td><td>-<br/>-</td><td></td><td>-         -      -</td></tr> <tr><td>Output per hour<br/>Output per day<br/>Height<br/>Length<br/>Width<br/>Diameter<br/>Voltage<br/>For<br/>T8 26mm (watt)<br/>T5 16mm (watt)<br/>Size<br/>Content for<br/>Filter container volume</td><td>-         <td< td=""><td>-<br/>-</td><td>-         <td< td=""><td>-         -      -</td></td<></td></td<></td></tr> |  | Output per hour<br>Output per day<br>Height<br>Length<br>Width<br>Diameter<br>Voltage<br>For<br>T8 26mm (watt)<br>T5 16mm (watt)<br>Size<br>Content for<br>Filter container volume<br>Volume filter media | -<br>-<br>-<br>-<br>-<br>-<br>-<br>- | -<br>- |  | -         -      - | Output per hour<br>Output per day<br>Height<br>Length<br>Width<br>Diameter<br>Voltage<br>For<br>T8 26mm (watt)<br>T5 16mm (watt)<br>Size<br>Content for<br>Filter container volume | -         - <td< td=""><td>-<br/>-</td><td>-         <td< td=""><td>-         -      -</td></td<></td></td<> | -<br>- | -         - <td< td=""><td>-         -      -</td></td<> | -         -      - |
|   |  |   |   |  |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height<br>Length<br>Width<br>Diameter<br>Voltage<br>For<br>T8 26mm (watt)<br>T5 16mm (watt)<br>Size<br>Content for<br>Filter container volume<br>Volume filter media | -<br>-<br>-<br>-<br>-<br>-<br>-<br>-   | -<br>-  |   | -         -      - |   |                                      |        |  |  |  |  |        |  |  |
| Output per hour<br>Output per day<br>Height<br>Length<br>Width<br>Diameter<br>Voltage<br>For<br>T8 26mm (watt)<br>T5 16mm (watt)<br>Size<br>Content for<br>Filter container volume                        | -         - <td< td=""><td>-<br/>-</td><td>-         <td< td=""><td>-         -      -</td></td<></td></td<> | -<br>-  | -         - <td< td=""><td>-         -      -</td></td<>  | -         -      - |   |                                      |        |  |  |  |  |        |  |  |




Delivery head






| Food type        | sinking pearls   |  |
|------------------|--|--|
| Sub product type | complete food for ornamental fish                                    |  |
| Dosing           | Feed 1 – 2 times a day, as much as can be eaten within a few minutes |  |

#### Analytical components



| Crude protein | 40 % |
|---------------|------|
| Fat content   | 12 % |
| Crude fibre   | 2 %  |
| Crude ash     | 8 %  |

#### III Composition



| wheat germs  |
|--------------|
| salmon meal  |
| wheat meal   |
| shrimp meal  |
| octopus meal |
| wheat gluten |
| gammarus     |
| spirulina    |
| rice meal    |
| guar gum     |
| green meal   |

#### II+ Additives

| Colourings           |  |
|----------------------|--|
| are not added by JBL |  |

| Vitamins, provitamins and other chemically defined substances having a similar effect (per 1000 g) |             |  |  |
|--|-------------|--|--|
| Vitamin A  | 25000 I. E. |  |  |
| Vitamin D₃   | 2000 I. E.  |  |  |
| Vitamin E  | 300 mg      |  |  |
| Vitamin C(stable) 200 mg   |             |  |  |





#### Additional information for the specialist trade sector

| Article data                            |                              |                              |                              |                             |
|---|------------------------------|------------------------------|------------------------------|-----------------------------|
| Product name                            | JBL PROPOND STERLET S 0.5 kg | JBL PROPOND STERLET S 1.5 kg | JBL PROPOND STERLET S 3.0 kg | JBL PROPOND STERLET S 0.5kg |
| Art. No.                                | 4127600                      | 4127700                      | 4127800                      | 4128100                     |
| VAT                                     | 7%                           | 7%                           | 7%                           | 7%                          |
| Sales unit (SU)                         | 3                            | 1                            | 1                            | 3                           |
| Volume packaging                        | 1.721                        | 4.371                        | 8.41                         | 1.26                        |
| Dimensions (l/w/h)                      | 98 mm/98 mm/179 mm           | 70 mm/195 mm/320 mm          | 85 mm/250 mm/395 mm          | 90 mm/90 mm/198 mm          |
| Layer                                   | 144                          | 56                           | 28                           | 192                         |
| Pallet                                  | 576                          | 280                          | 84                           | 576                         |
| Category of products                    | 1                            | 1                            | 1                            | 1                           |
| Customs tariff                          | 23099041                     | 23099041                     | 23099041                     | 23099041                    |
| Country of origin                       | DE                           | DE                           | DE                           | DE                          |
| Type of packaging                       | can                          | Bag / sack                   | Bag / sack                   | can                         |
| PU 1 data                               |                              |                              |                              |                             |
| Product name                            | JBL PROPOND STERLET S 0.5 kg | JBL PROPOND STERLET S 1.5 kg | JBL PROPOND STERLET S 3.0 kg | JBL PROPOND STERLET S 0.5kg |
| Art. No.                                | 4127600                      | 4127700                      | 4127800                      | 4128100                     |
| PU 1 material                           | film gr                      | cardboard gr                 | cardboard gr                 | film gr                     |
| PU 1 weight                             | 7 g                          | 430 g                        | 490 g                        | 9.39 g                      |
| PU 1 lengh                              | 103 mm                       | 395 mm                       | 360 mm                       | 270 mm                      |
| PU 1 width/depth                        | 300 mm                       | 295 mm                       | 265 mm                       | 90 mm                       |
| PU 1 height                             | 179 mm                       | 285 mm                       | 330 mm                       | 198 mm                      |
| PU 2 data                               |                              |                              |                              |                             |
| Product name                            | JBL PROPOND STERLET S 0.5 kg | JBL PROPOND STERLET S 1.5 kg | JBL PROPOND STERLET S 3.0 kg | JBL PROPOND STERLET S 0.5kg |
| Art. No.                                | 4127600                      | 4127700                      | 4127800                      | 4128100                     |
| PU 2 material                           | cardboard gr                 | None                         | None                         | cardboard gr                |
| PU 2 weight                             | 510 g                        | -                            | -                            | 468 g                       |
| PU 2 lengh                              | 315 mm                       | -                            | -                            | 284 mm                      |
| PU 2 width/depth                        | 415 mm                       | -                            | -                            | 374 mm                      |
| PU 2 height                             | 340 mm                       | -                            | -                            | 408 mm                      |
| Trade data                              |                              |                              |                              |                             |
|   | JBL PROPOND STERLET S 0.5 kg | JBL PROPOND STERLET S 1.5 kg | JBL PROPOND STERLET S 3.0 kg | JBL PROPOND STERLET S 0.5kg |
| Product name                            |                              | 51212131318                  | 5.2.22.55.0 kg               |                             |
|   | 4127600                      | 4127700                      | 4127800                      | 4128100                     |
| Product name Art. No. Till receipt text | 4127600<br>PP SterletS0.5    | 4127700<br>PP SterletS1.5    | 4127800<br>PP SterletS3.0    | 4128100<br>PP SterletS 0.5  |



7