

Permanent test to determine the acid/CO2 content

Suitable for:

CARE

PFLEGE **ENTRETIEN**



- Simple and reliable monitoring of the aquarium water values. Permanent direct measurement of the pH value and carbon dioxide content in freshwater aquariums
- Permanent test for fertiliser control: place reagent in the permanent test device and attach to the aquarium pane, using suction cups. Compare reagent colour with colour scale sticker and read off value
- Indication of pH value (6.4 7.8) and CO2 content
- You will find detailed information and troubleshooting tips about water analysis on the JBL website in Essentials/Aquarium
- Package contents: 1 CO2-pH permanent test, display vessel with suction cup, 1 reagent (+ 1x refill) and colour scale sticker. Reagent refill and indicators separately available



You can find a complete overview here: https://www.jbl.de/qr/24138 You may also be interested in





JBL PROFLORA pH-Control Touch Measurement and control computer for control of CO2/ pН










JBL component set for water tests







Spare part kit for JBL CO2 Permanent Suction cup & seal ring for the CO2 permanent test



JBL PROAQUATEST range colour charts



CARE



JBL PROAQUATEST CO2-pH Permanent

Product information

This permanent indication test uses colouration to show the aquarist the pH value and the CO2 content of the aquarium water at any time.

You can read off whether the pH value is within the optimal range and whether the plants have sufficient CO2 as their main nutrient available during the day 24/7.

How exactly does the test work?

The CO2 dissolved in the aquarium water diffuses in the container of the permanent test, passes into the air column containing the indicator liquid and then dissolves in the liquid. This creates a pH value, which results in the discolouration of the indicator liquid. The colour displayed corresponds to a certain pH-value and, depending on the carbonate hardness of the water, you can read off whether the resulting CO2 content is too high, too low, or optimal.

If another pH-lowering or increasing substance (e.g. pH-Minus) apart from CO2 is added to the aquarium water, it cannot diffuse through the air column in the permanent test and thus does NOT affect the indicator liquid. In this case the pH value displayed would not be correct. It only shows correct values, when there are NO other pH-influencing substances in the water besides CO2.

How long does it take until the test displays correctly?

Due to its design the test is somewhat sluggish, because the CO2 gas needs to first "migrate" through the air column in the test vessel, then into the indicator liquid and can only then be displayed. It can therefore take up to one hour until the test shows the current CO2 content of the aquarium water for the first time.

Recommended CO2 content:

Freshwater aquarium (community aquarium): 15-35 mg/l; Lake Malawi-Tanganyika aquarium: 4-10 mg/l; Plant aquarium with few fish (aquascaping): 20-35 mg/l

Further information	
FAQ	✓ <i>✓</i>
Blog	✓
Press	~
Laboratory/calculator	×
Worth reading	✓
Spare parts	✓
Video	✓
GarantiePlus	×
Instructions	~
QR code	





JBL PROAQUATEST CO2-pH Permanent

Article data			
Product name	JBL PROAQUATEST CO2-pH Permanent	JBL PROAQUATEST CO2-pH Permanent REFILL	
Art. No.	2413800	2413900	
EAN number	4014162241382	4014162241399	
EAN as barcode			
For	9-12 MON	Refill	
-	-	-	
Expiry months	48	48	
RRP incl. VAT	21,04€	10,66 €	
Base price	-	-	
Nominal filling quantity	-	-	
Base quantity	1	1	
Gross weight	95 g	48.5 g	
Net weight	51 g	21 g	
Weight change	-	-	
Disposal			
Product name	JBL PROAQUATEST CO2-pH Permanent	JBL PROAQUATEST CO2-pH Permanent REFILL	
Art. No.	2413800	2413900	
Green dot	\checkmark	\checkmark	
Group electronic waste	-	-	
Disposal weight	-	-	
Battery type	-	-	
Battery return	-	-	
Battery rechargeable	-	-	
Disposal weight battery	-	-	
Non-returnable glass	-	-	
РРК	27 g	7.5 g	
Plastic small	20 g	20 g	
Plastic large	-	-	

Features		
Product name	JBL PROAQUATEST CO2-pH Permanent	JBL PROAQUATEST CO2-pH Permanent REFILL
Art. No.	2413800	2413900

0 g

0 g



Disposal weight metal

Features			
Animal species	Armored catfish, Arowana, Axolotl, Barbels, Bettas, Bichirs/ reedfish, Blowfish, Catfish, Cichilds (South America), Clawed frogs, Clawed shrimps, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Gill maggots, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Tetra, Veiltails, blood parrot cichilds, freshwater butterflyfish	Armored catfish, Arowana, Axolotl, Barbels, Bettas, Bichirs/ reedfish, Blowfish, Catfish, Cichilds (South America), Clawed frogs, Clawed shrimps, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Gill maggots, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Tetra, Veiltails, blood parrot cichilds, freshwater butterflyfish	
Animal size	For all animal sizes	For all animal sizes	
Animal age group	All aquarium fish	All aquarium fish	
Volume of habitat	-	-	
Material	Reagent(s) in plastic bottle(s) and/ or glass bottle(s) + plastic and/or glass accessories. REFILL: reagent (s) without accessories.	Reagent(s) in plastic bottle(s) and/ or glass bottle(s) + plastic and/or glass accessories. REFILL: reagent (s) without accessories.	
Food type	-	-	
Colour	white / transparent / black	white / transparent / black	
Dosage	See instructions	See instructions	
Transport conditions	-	-	



5

Country: New Zealand

Language: English



JBL PROAQUATEST CO2-pH Permanent

Product namePermanentArt. No.2413800Ambient temperature-Start time-Mercury-Tube length-Service life-Lumen-CRI value-Dimmable-Switching cycles-PAR value-UV-A-UV-F-Colour temperature-Base designation-Technical dataProduct nameJBL PROAQUATEST CO2-pH PermanentArt. No.2413800Range in litres-Range from - to-Range tank length-Output per hour-Output per day-Height-	JBL PROAQUATEST CO2-pt Permanent REFILL 2413900 -
Ambient temperature-Start time-Mercury-Tube length-Service life-Lumen-CRI value-Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-B-Colour temperature-Base designation-Technical dataProduct nameJBL PROAQUATEST CO2-pH PermanentArt. No.2413800Range in litres-Range from - to-Range tank length-Output per hour-Output per day-Height-	- -
Start time-Mercury-Tube length-Service life-Lumen-CRI value-Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-A-UV-B-Colour temperature-Base designation-Technical dataProduct nameJBL PROAQUATEST CO2-pH PermanentArt. No.2413800Range in litres-Range from - to-Range tank length-Output per hour-Output per day-Height-	
Tube length-Service life-Lumen-CRI value-Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataProduct nameJBL PROAQUATEST CO2-pH PermanentArt. No.2413800Range in litres-Range from - to-Range tank length-Output per hour-Output per day-Height-	
Tube length-Service life-Lumen-CRI value-Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataProduct nameJBL PROAQUATEST CO2-pH PermanentArt. No.2413800Range in litres-Range from - to-Range tank length-Output per hour-Output per day-Height-	
Service life-Lumen-CRI value-Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataProduct nameJBL PROAQUATEST CO2-pH PermanentArt. No.2413800Range in litres-Range from - to-Range tank length-Output in watts-Output per hour-Qutput per day-Height-	
CRI value-Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataJBL PROAQUATEST CO2-pH PermanentArt. No.2413800Range in litres-Range from - to-Range tank length-Output in watts-Output per day-Height-	
Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataProduct nameJBL PROAQUATEST CO2-pH PermanentArt. No.2413800Range in litres-Range from - to-Range tank length-Output in watts-Output per hour-Output per day-Height-	
Switching cycles-PAR value-Energy efficiency class-UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataProduct nameJBL PROAQUATEST CO2-pHArt. No.2413800Range in litres-Range from - to-Range in days-Qutput in watts-Output per hour-Qutput per day-Height-	
PAR value - Energy efficiency class - UV-A - UV-B - UV-C - Colour temperature - Base designation - Technical data - Product name JBL PROAQUATEST CO2-pH Permanent Art. No. 2413800 Range in litres - Range from - to - Range in days - Range tank length - Output per hour - Output per day - Height -	
PAR value - Energy efficiency class - UV-A - UV-B - UV-C - Colour temperature - Base designation - Technical data - Product name JBL PROAQUATEST CO2-pH Permanent Art. No. 2413800 Range in litres - Range from - to - Range in days - Qutput in watts - Output per hour - Output per day -	
Energy efficiency class-UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataJBL PROAQUATEST CO2-pH PermanentProduct nameJBL PROAQUATEST CO2-pH PermanentArt. No.2413800Range in litres-Range from - to-Range from statistic-Qutput in watts-Output per hour-Output per day-Height-	
UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataProduct nameJBL PROAQUATEST CO2-pH PermanentArt. No.2413800Range in litres-Range from - to-Range in days-Range tank length-Output in watts-Output per hour-Qutput per day-Height-	
UV-B - UV-C - Colour temperature - Base designation - Technical data - Product name JBL PROAQUATEST CO2-pH Permanent Art. No. 2413800 Range in litres - Range from - to - Range in days - Range tank length - Output per hour - Output per day - Height -	
Colour temperature - Base designation - Technical data Product name JBL PROAQUATEST CO2-pH Permanent Art. No. 2413800 Range in litres - Range from - to - Range from - to - Range in days - Range tank length - Output in watts - Output per hour - Output per day - Height -	JBL PROAQUATEST CO2-pH Permanent REFILL
Base designation - Technical data Product name JBL PROAQUATEST CO2-pH Permanent Art. No. 2413800 Range in litres - Range from - to - Range from - to - Range in days - Range tank length - Output per hour - Output per day - Height -	JBL PROAQUATEST CO2-pt Permanent REFILL
Base designation - Technical data Product name JBL PROAQUATEST CO2-pH Permanent Art. No. 2413800 Range in litres - Range from - to - Range in days - Range tank length - Output per hour - Output per day - Height -	JBL PROAQUATEST CO2-pt Permanent REFILL
Technical data Product name JBL PROAQUATEST CO2-pH Permanent Permanent Art. No. 2413800 Range in litres - Range from - to - Range in days - Range tank length - Output in watts - Output per hour - Output per day -	
Range in litres - Range from - to - Range in days - Range tank length - Output in watts - Output per hour - Output per day -	2412000
Range in litres - Range from - to - Range in days - Range tank length - Output in watts - Output per hour - Output per day - Height -	
Range from - to - Range in days - Range tank length - Output in watts - Output per hour - Output per day - Height -	
Range in days - Range tank length - Output in watts - Output per hour - Output per day - Height -	-
Range tank length - Output in watts - Output per hour - Output per day - Height -	-
Output in watts - Output per hour - Output per day - Height -	-
Output per hour - Output per day - Height -	-
Output per day - Height -	-
Height -	-
	-
	-
Length -	-
Width -	-
Diameter -	-
	-
For -	-
T8 26mm (watt) -	-
T5 16mm (watt) -	-
Size -	
Content for	-

Volume filter media

Hose connections pressure/out Hose connections suction/in







Technical data		
Delivery head	-	-





JBL PROAQUATEST CO2-pH Permanent

Food type	-
Sub product type	-
Dosing	See instructions





Additional information for the specialist trade sector

Article data		
Product name	JBL PROAQUATEST CO2-pH Permanent	JBL PROAQUATEST CO2-pH Permanent REFILL
Art. No.	2413800	2413900
VAT	19%	19%
Sales unit (SU)	3	1
Volume packaging	0.81	0.571
Dimensions (l/w/h)	43 mm/106 mm/175 mm	30 mm/110 mm/175 mm
Layer	240	800
Pallet	720	2400
Category of products	1	1
Customs tariff	38221100	38221100
Country of origin	DE	DE
Type of packaging	Faltschachtel/Karton	Skin / blister card packaging

PU 1 data		
Product name	JBL PROAQUATEST CO2-pH Permanent	JBL PROAQUATEST CO2-pH Permanent REFILL
Art. No.	2413800	2413900
PU 1 material	film gr	cardboard gr
PU 1 weight	3.5 g	660 g
PU 1 lengh	106 mm	580 mm
PU 1 width/depth	130 mm	390 mm
PU 1 height	180 mm	310 mm

PU 2 data			
Product name	JBL PROAQUATEST CO2-pH Permanent	JBL PROAQUATEST CO2-pH Permanent REFILL	
Art. No.	2413800	2413900	
PU 2 material	cardboard gr	None	
PU 2 weight	540 g	-	
PU 2 lengh	400 mm	-	
PU 2 width/depth	400 mm	-	
PU 2 height	350 mm	-	

Trade data			
Product name	JBL PROAQUATEST CO2-pH Permanent	JBL PROAQUATEST CO2-pH Permanent REFILL	
Art. No.	2413800	2413900	
Till receipt text	Test CO2 perma	Refill CO2 perm	
Shelf placement	Test shelf, water treatment troubleshooting, CO2 fertilisation	Test shelf, water treatment troubleshooting, CO2 fertilisation	

