



Care spray for technical aquarium/garden pond items

Suitable for: < 🖈 🏏 🐋



- Cares for all movable parts and seals of technical articles in the aquarium and garden pond
- Spray on moving parts, seals and O-rings
- Water-neutral silicone grease spray
- Water clear, odourless, long-term adhesion, CFC-free, free of oils and ecotoxic substances
- Contents: 1 pressurised gas cylinder with 400 ml content and spray head attachment for a precise, fine stream





Rubber seals and O-rings lose their suppleness in the course of time and with that their ability to seal something 100%. The elasticity can be regained with the help of silicone grease to ensure the sealing function or the flexibility, e.g. for the levering. It is not important to use a huge amount of silicone grease but it is important to lubricate all sides completely.

| Further information | |
|-----------------------|---|
| FAQ | ~ |
| Blog | ~ |
| Press | ✓ |
| Laboratory/calculator | × |
| Worth reading | ~ |
| Spare parts | × |
| Video | ~ |
| GarantiePlus | × |
| Instructions | ~ |
| QR code | |







| Article data | |
|--------------------------|--------------------|
| Product name | JBL SILICONE SPRAY |
| Art. No. | 6139500 |
| EAN number | 4014162613950 |
| EAN as barcode | |
| Content | 400 ml |
| Content | 223 g |
| Expiry months | - |
| RRP incl. VAT | 21,03€ |
| Base price | 52.58 € |
| Nominal filling quantity | 400 ml |
| Base quantity | 11 |
| Gross weight | 359 g |
| Net weight | 223 g |
| Weight change | - |

| Disposal | |
|-------------------------|--------------------|
| Product name | JBL SILICONE SPRAY |
| Art. No. | 6139500 |
| Green dot | ✓ |
| Group electronic waste | - |
| Disposal weight | - |
| Battery type | - |
| Battery return | - |
| Battery rechargeable | - |
| Disposal weight battery | - |
| Non-returnable glass | - |
| РРК | - |
| Plastic small | 13.5 g |
| Plastic large | - |
| Disposal weight metal | 0 g |

| Features | |
|--------------|--------------------|
| Product name | JBL SILICONE SPRAY |
| Art. No. | 6139500 |



3

ACCESSORIES ZUBEHÖR ACCESSOIRES



| Features | |
|----------------------|---|
| Animal species | Armored catfish, Arowana, Artemia, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Clawed frogs, Clawed shrimps, Cooter turtles, Corals, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Gammarus, Gill maggots, Gobies, Goldfish, Gouramis, Guppy, Hinged tortoises, Juvenile fish, Killifish, Koi, Leopard tortoises, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Red-footed tortoises, Snails, Spiny eels, Sturgeons, Terrapins, Tetra, Tropical terrapins, Tropical tortoises, Veiltails, blood parrot cichlids, freshwater butterflyfish, turtle |
| Animal size | For all animal sizes |
| Animal age group | All aquarium fish |
| Volume of habitat | For all aquariums |
| Material | silicone |
| Food type | - |
| Colour | transparent |
| Dosage | - |
| Transport conditions | - |





| Electronic label / illuminant | |
|-------------------------------|--------------------|
| Product name | JBL SILICONE SPRAY |
| Art. No. | 6139500 |
| Ambient temperature | - |
| Start time | - |
| Mercury | - |
| Tube length | - |
| Service life | - |
| Lumen | - |
| CRI value | - |
| Dimmable | - |
| Switching cycles | - |
| PAR value | - |
| Energy efficiency class | - |
| UV-A | - |
| UV-B | - |
| UV-C | - |
| Colour temperature | - |
| Base designation | - |

| Technical data | |
|-------------------------------|--------------------|
| Product name | JBL SILICONE SPRAY |
| Art. No. | 6139500 |
| Range in litres | - |
| Range from - to | - |
| Range in days | - |
| Range tank length | - |
| Output in watts | - |
| Output per hour | - |
| Output per day | - |
| Height | - |
| Length | - |
| Width | - |
| Diameter | - |
| Voltage | - |
| For | - |
| T8 26mm (watt) | - |
| T5 16mm (watt) | - |
| Size | - |
| Content for | - |
| Filter container volume | - |
| Volume filter media | - |
| Hose connections pressure/out | - |
| Hose connections suction/in | - |
| Delivery head | - |







| Food type | - |
|------------------|---|
| Sub product type | - |
| Dosing | • |







| JBL Silicone Spray - safety information in accordance with GHS | | |
|--|--|--|
| Signal word | Danger | |
| Hazard symbol | | |
| Risk phrase | H222: Extremely flammable aerosol. H229: Pressurized container: may burst if heated. | |
| safety note | P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501a: Dispose of contents/container in accordance with local regulations. | |

| Further safety information | |
|----------------------------|--------------|
| Safety instructions | \checkmark |
| QR code | 国際国家が |









Additional information for the specialist trade sector

| Article data | |
|----------------------|--------------------|
| Product name | JBL SILICONE SPRAY |
| Art. No. | 6139500 |
| VAT | 19% |
| Sales unit (SU) | 1 |
| Volume packaging | 1.171 |
| Dimensions (l/w/h) | 75 mm/75 mm/208 mm |
| Layer | 168 |
| Pallet | 1008 |
| Category of products | 2 |
| Customs tariff | 34039900 |
| Country of origin | EU |
| Type of packaging | can |

| PU 1 data | |
|------------------|--------------------|
| Product name | JBL SILICONE SPRAY |
| Art. No. | 6139500 |
| PU 1 material | cardboard gr |
| PU 1 weight | 320 g |
| PU 1 lengh | 290 mm |
| PU 1 width/depth | 220 mm |
| PU 1 height | 230 mm |
| | |

| PU 2 data | |
|------------------|--------------------|
| Product name | JBL SILICONE SPRAY |
| Art. No. | 6139500 |
| PU 2 material | None |
| PU 2 weight | - |
| PU 2 lengh | - |
| PU 2 width/depth | - |
| PU 2 height | - |

| Trade data | |
|-------------------|--------------------|
| Product name | JBL SILICONE SPRAY |
| Art. No. | 6139500 |
| Till receipt text | JBL SilicoSpray |
| Shelf placement | - |

