



Angled trimming scissors for plant maintenance



- Professional and comfortable trimming of plants to create aquarium landscapes: angled trimming scissors for aquascaping plant maintenance.
- Easy handling: 27 mm sized finger holes also suitable for bigger fingers, fatigue-free working thanks to light weight: 62.5 g, length: 20 cm
- Especially smooth surface: stainless high-quality steel, made in Japan with extremely high cutting precision
- Maintenance tip: rinse with freshwater after use in saltwater
- Package contents: 1 pair angled trimming scissors for aquascaping, ProScape Tool S curved





JBL PROSCAPE TOOLS S CURVED

Product information

Underwater gardener Aquascaping is the term used to describe the technique of designing aquarium landscapes. This is the place for plant compositions, for the reproduction of a landscape above water or for natural biotopes. An aquascaping aquarium contains no or few fish and invertebrates.

Pro Scape Tool curved

The angled scissors are especially well suited for the removal of leaves from the aquarium. Always cut the leaves as close as possible to the base of the plant.

With the research department and our worldwide expeditions into the habitats of the animals JBL is continuously setting new standards with its product innovations.

Further information		
FAQ	~	
Blog	~	
Press	~	
Laboratory/calculator	×	
Worth reading	~	
Spare parts	×	
Video	~	
GarantiePlus	×	
Instructions	×	
QR code		





Product details

Article data		
Product name	JBL PROSCAPE TOOLS S20 CURVED	JBL PROSCAPE TOOLS S30 CURVED
Art. No.	6154300	6154400
EAN number	4014162615435	4014162615442
EAN as barcode		
Length	20 cm	30 cm
-	-	-
Expiry months	-	-
RRP incl. VAT	29,42 €	36,52 €
Base price	-	-
Nominal filling quantity	-	-
Base quantity	1	1
Gross weight	86 g	124 g
Net weight	62 g	92 g
Weight change	1000	1000
	•	•
Disposal		
Product name	JBL PROSCAPE TOOLS S20 CURVED	JBL PROSCAPE TOOLS S30 CURVED
Art. No.	6154300	6154400
Green dot	\checkmark	✓
Group electronic waste	-	-
Disposal weight	-	-
Battery type	-	-
Battery return	-	-
Battery rechargeable	-	-
Disposal weight battery	-	-
Non-returnable glass	-	-
РРК	24 g	32 g
Plastic small	-	-
Plastic large	-	-

Features		
Product name	JBL PROSCAPE TOOLS S20 CURVED	JBL PROSCAPE TOOLS S30 CURVED
Art. No.	6154300	6154400

0 g



Disposal weight metal

0 g



Features		
Animal species	Arowana, Axoloti, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Corals, Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Tetra, freshwater butterflyfish, turtle	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Corals, Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Yeiltails, freshwater butterflyfish, turtle
Animal size	For all animal sizes	For all animal sizes
Animal age group	All aquarium fish	All aquarium fish
Volume of habitat	For all aquariums	For all aquariums
Material	metal (steel, made in Japan)	metal (steel, made in Japan)
Food type	-	-
Colour	silver	silver
Dosage	-	-
Transport conditions	-	-



JBL PROSCAPE TOOLS S CURVED

Product name	JBL PROSCAPE TOOLS S20 CURVED	JBL PROSCAPE TOOLS S30 CURVED						
Art. No.	6154300	6154400						
Ambient temperature	-	-						
Start time	-	-						
Mercury	-	-						
Tube length	-	-						
Service life	-	-						
Lumen	-	-						
CRI value	-	-						
Dimmable	-	-						
Switching cycles	-	-						
PAR value	-	-						
Energy efficiency class	-	-						
UV-A	-	-						
UV-B	-	-						
UV-C	-	-						
Colour temperature	-	-						
Base designation	-	-						
Product name	JBL PROSCAPE TOOLS S20 CURVED	JBL PROSCAPE TOOLS S30 CURVED						
Art. No.	6154300	6154400						
Range in litres	-	-						
Dava a factor to								
Range from - to	-	-						
	-	-						
Range from - to Range in days Range tank length								
Range in days Range tank length	-	-						
Range in days	-	-						
Range in days Range tank length Output in watts	- - -	- - -						
Range in days Range tank length Output in watts Output per hour Output per day	- - -							
Range in days Range tank length Output in watts Output per hour Output per day Height	- - - -	- - - - -						
Range in days Range tank length Output in watts Output per hour Output per day Height Length	- - - -	- - - - -						
Range in days Range tank length Output in watts Output per hour Output per day Height Length Width	- - - - - - - - -							
Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter	- - - - - - - - - - - -	- - - - - - - - - - - - -						
Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage	- - - - - - - - - - - -							
Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage For	- - - - - - - - - - - - - -							
Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt)	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td></td></td<>							
Range in days Range tank length Output in watts Output per hour	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td></td></td<>							
Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) Size	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""></td<>						
Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt)	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <tr td=""> <!--</td--><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""></td<></td></tr> <tr><td>Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for</td><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></td<></td></tr> <tr><td>Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for Filter container volume</td><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <tr td=""> <!--</td--><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></tr></td></tr>	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""></td<>	Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></td<>	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -	Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for Filter container volume	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <tr td=""> <!--</td--><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></tr>	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""></td<>								
Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></td<>	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -						
Range in days Range tank length Output in watts Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for Filter container volume	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <tr td=""> <!--</td--><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></tr>	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -						
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -								







Technical data		
Delivery head	-	-







JBL PROSCAPE TOOLS S CURVED

Food type	•
Sub product type	-
Dosing	•





Additional information for the specialist trade sector

Article data		
Product name	JBL PROSCAPE TOOLS S20 CURVED	JBL PROSCAPE TOOLS S30 CURVED
Art. No.	6154300	6154400
VAT	19%	19%
Sales unit (SU)	1	1
Volume packaging	0.511	0.781
Dimensions (l/w/h)	28 mm/70 mm/260 mm	32 mm/70 mm/348 mm
Layer	480	304
Pallet	1920	1216
Category of products	2	2
Customs tariff	82130000	82130000
Country of origin	РК	РК
Type of packaging	Faltschachtel/Karton	Faltschachtel/Karton

PU 1 data		
Product name	JBL PROSCAPE TOOLS S20 CURVED	JBL PROSCAPE TOOLS S30 CURVED
Art. No.	6154300	6154400
PU 1 material	cardboard gr	cardboard gr
PU 1 weight	520 g	520 g
PU 1 lengh	410 mm	410 mm
PU 1 width/depth	310 mm	310 mm
PU 1 height	335 mm	335 mm

PU 2 data		
Product name	JBL PROSCAPE TOOLS S20 CURVED	JBL PROSCAPE TOOLS S30 CURVED
Art. No.	6154300	6154400
PU 2 material	-	-
PU 2 weight	-	-
PU 2 lengh	-	-
PU 2 width/depth	-	-
PU 2 height	-	-

Trade data		
Product name	JBL PROSCAPE TOOLS S20 CURVED	JBL PROSCAPE TOOLS S30 CURVED
Art. No.	6154300	6154400
Till receipt text	-	-
Shelf placement	-	-

