

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.05.2021

Version number 1


Revision: 18.05.2021

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** JBL PROFLORA CO2 CYLINDER 1200 U
- **Article number:** 6466400
- **CAS Number:**  
124-38-9
- **EC number:**  
204-696-9
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Water conditioner
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
JBL GmbH & Co. KG  
Dieselstraße 3  
D-67141 NEUHOFEN  
DEUTSCHLAND  
++49 6236/4180-0 08:00-17:00 GMT +1
- **Further information obtainable from:** [info@jbl.de](mailto:info@jbl.de)
- **Emergency telephone number:**  
In England, Scotland and Wales: 111  
In Republic of Ireland: 01 809 2166

### 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



gas cylinder

Press. Gas (Comp.) H280 Contains gas under pressure; may explode if heated.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS04

- **Signal word** Warning
- **Hazard statements**  
H280 Contains gas under pressure; may explode if heated.
- **Precautionary statements**  
P410+P403 Protect from sunlight. Store in a well-ventilated place.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Substances**
- **CAS No. Description**  
124-38-9 carbon dioxide

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.05.2021

Version number 1

Revision: 18.05.2021

Trade name: JBL PROFLORE CO2 CYLINDER 1200 U

(Contd. of page 1)

- Identification number(s)
- EC number: 204-696-9

### 4 First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

124-38-9 carbon dioxide

WEL Short-term value: 27400 mg/m<sup>3</sup>, 15000 ppm  
Long-term value: 9150 mg/m<sup>3</sup>, 5000 ppm

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.05.2021

Version number 1

Revision: 18.05.2021

Trade name: **JBL PROFLOA CO2 CYLINDER 1200 U**

(Contd. of page 2)

- **Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Hand protection**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Goggles recommended during refilling

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Colourless
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** -56.6 °C
- **Boiling point or initial boiling point and boiling range** -78.5 °C
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** Not applicable.
- **Auto-ignition temperature:** Not determined.
- **Decomposition temperature:** Not determined.
- **pH** Not determined.
- **Viscosity:**
- **Kinematic viscosity** Not determined.
- **Dynamic:** Not determined.
- **Solubility**
- **water at 20 °C:** 2000 g/l
- **Partition coefficient n-octanol/water (log value)** 0.83
- **Vapour pressure at 20 °C:** 57,300 hPa (124-38-9 carbon dioxide)
- **Density and/or relative density**
- **Density at 20 °C:** 0.00197 g/cm<sup>3</sup>
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Other information**
- **Appearance:**
- **Form:** Compressed liquefied gas
- **Important information on protection of health and environment, and on safety.**
- **Explosive properties:** Not determined.
- **Solids content:** 0.0 %

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2021

Version number 1

Revision: 18.05.2021

Trade name: JBL PROFLOA CO2 CYLINDER 1200 U

(Contd. of page 3)

- **Change in condition**
- **Evaporation rate** *Not determined.*

- **Information with regard to physical hazard classes**
- **Explosives** *Void*
- **Flammable gases** *Void*
- **Aerosols** *Void*
- **Oxidising gases** *Void*
- **Gases under pressure** *Void*
- **Flammable liquids** *Void*
- **Flammable solids** *Void*
- **Self-reactive substances and mixtures** *Void*
- **Pyrophoric liquids** *Void*
- **Pyrophoric solids** *Void*
- **Self-heating substances and mixtures** *Void*
- **Substances and mixtures, which emit flammable gases in contact with water** *Void*
- **Oxidising liquids** *Void*
- **Oxidising solids** *Void*
- **Organic peroxides** *Void*
- **Corrosive to metals** *Void*
- **Desensitised explosives** *Void*

## 10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

## 11 Toxicological information

- **Information on other hazards**
  - **Endocrine disrupting properties**
- Substance is not listed.*

## 12 Ecological information

- **Toxicity**
  - **Aquatic toxicity:** *No further relevant information available.*
  - **Persistence and degradability** *No further relevant information available.*
  - **Bioaccumulative potential** *No further relevant information available.*
  - **Mobility in soil** *No further relevant information available.*
  - **Results of PBT and vPvB assessment**
  - **PBT:** *Not applicable.*
  - **vPvB:** *Not applicable.*
  - **Endocrine disrupting properties**
- The product does not contain substances with endocrine disrupting properties.*

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.05.2021

Version number 1

Revision: 18.05.2021

Trade name: **JBL PROFLORA CO2 CYLINDER 1200 U**



(Contd. of page 4)

- **Other adverse effects**
- **Additional ecological information:**
- **General notes:** Not hazardous for water.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### 14 Transport information

- |   |                     |
|---|---------------------|
| · <b>UN number or ID number</b>   | UN1013              |
| · <b>ADR, IMDG, IATA</b>  |                     |
| · <b>UN proper shipping name</b>  | 1013 CARBON DIOXIDE |
| · <b>ADR</b>  | CARBON DIOXIDE      |
| · <b>IMDG, IATA</b>   |                     |
| · <b>Transport hazard class(es)</b>   |                     |
| · <b>ADR</b>  |                     |
|  |                     |
| · <b>Class</b>  | 2 2A Gases.         |
| · <b>Label</b>  | 2.2                 |
| · <b>IMDG, IATA</b>   |                     |
|  |                     |
| · <b>Class</b>  | 2 Gases.            |
| · <b>Label</b>  | 2                   |
| · <b>Packing group</b>  |                     |
| · <b>ADR, IMDG, IATA</b>  | not regulated       |
| · <b>Environmental hazards:</b>   | Not applicable.     |
| · <b>Special precautions for user</b>   | Warning: Gases.     |
| · <b>Hazard identification number (Kemler code):</b>                                | 20                  |
| · <b>EMS Number:</b>  | 2-09                |
| · <b>Stowage Category</b>   | A                   |
| · <b>Maritime transport in bulk according to IMO instruments</b>                    | Not applicable.     |
| · <b>Transport/Additional information:</b>  |                     |
| · <b>ADR</b>  |                     |
| · <b>Limited quantities (LQ)</b>  | 120 ml              |

(Contd. on page 6)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 18.05.2021

Version number 1

Revision: 18.05.2021

Trade name: JBL PROFLORA CO2 CYLINDER 1200 U

(Contd. of page 5)

· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	C/E
· IMDG	
· Limited quantities (LQ)	120 ml
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1013 CARBON DIOXIDE, 2.2

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008  
The substance is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS04

- Signal word Warning
- Hazard statements  
H280 Contains gas under pressure; may explode if heated.
- Precautionary statements  
P410+P403 Protect from sunlight. Store in a well-ventilated place.
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I Substance is not listed.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Press. Gas (Comp.): Gases under pressure – Compressed gas

- \* Data compared to the previous version altered.