



JBL ProFlow sf u500/750/1000

Quick filter cartridge for JBL ProFlow pumps

Suitable for:   



- Quickly and effectively filters all cloudiness out of the aquarium water
- Simply attach the cartridge to the intake tract of the pump (fits JBL ProFlow u500, u750, u800, u1000, u1100, u2000)
- Water-neutral foam which does not release any harmful substances into the water and filters mechanically and biologically
- Cartridge dimensions: 25 mm hole for intake strainer, 17x7 cm (widest point)
- Package contents: 1 foam quick filter cartridge with inner strainer tube



JBL ProFlow sf u500/750/1000



Product information

Applications:


- Quick filter: For when dirt has been stirred up after work in the aquarium and the dirt is to be filtered out quickly to relieve the actual filter
- Protective function: For when the JBL ProFlow pump is used in the aquarium, e.g. as a flow pump, with a strainer on the intake tract. This strainer could be too coarse for young fish or very small shrimps. With the foam cartridge the suction is distributed over a larger area and even the smallest animals cannot be sucked in
- Filter support: If the actual filter does not result in really clean water, it can be supported by using JBL ProFlow pumps and the quick filter cartridge.

Cleaning:

For many months it is sufficient to rinse the dirty filter sponges under lukewarm running water and then inoculate them with filter bacteria (JBL FilterStart) before using them again. However, as mechanical cleaning NEVER results in a perfect clean and dirt will remain in the filter sponge, we recommend you replace the filter sponges about every 6 months. If you place a freshly cleaned filter sponge in a glass of clean water overnight, you will be able to smell how much dirt is still present in the supposedly clean sponge the next morning!

Biological inoculation:

Initial colonisation of filter material with cleansing bacteria takes about 1-2 weeks in freshwater and twice as long in seawater. If the filter material was already in use, the time for a "recolonisation" is doubled, as recolonisation does not take place so easily on dead bacterial lawns. The addition of concentrated cleansing bacteria such as in JBL FilterStart shortens the biological start-up time to about 24 hours. Another benefit is when you fill the existing settlement space in the filter material with beneficial bacteria, pathogenic germs find no place to spread.

Further information	
FAQ	✓
Blog	✓
Press	✓
Laboratory/calculator	✗
Worth reading	✓
Spare parts	✗
Video	✓
GarantiePlus	✗
Instructions	✓
QR code	






JBL ProFlow sf u500/750/1000



Product details

Article data	
Product name	JBL ProFlow sf u500/750/1000
Art. No.	6051900
EAN number	4014162605191
EAN as barcode	
-	-
-	-
Expiry months	-
RRP incl. VAT	11,97 €
Base price	-
Nominal filling quantity	-
Base quantity	1
Gross weight	61 g
Net weight	20 g
Weight change	1000

Disposal	
Product name	JBL ProFlow sf u500/750/1000
Art. No.	6051900
Green dot	✓
Group electronic waste	-
Disposal weight	-
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	-
PPK	52 g
Plastic small	-
Plastic large	-
Disposal weight metal	0 g

Features	
Product name	JBL ProFlow sf u500/750/1000
Art. No.	6051900
Animal species	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Corals, Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Veiltails, freshwater butterflyfish, turtle



Features	
Animal size	For all animal sizes
Animal age group	All aquarium fish
Volume of habitat	For all aquariums
Material	polyether
Food type	-
Colour	black / blue
Dosage	-
Transport conditions	-



JBL ProFlow sf u500/750/1000

Electronic label / illuminant	
Product name	JBL ProFlow sf u500/750/1000
Art. No.	6051900
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-

Technical data	
Product name	JBL ProFlow sf u500/750/1000
Art. No.	6051900
Range in litres	-
Range from - to	-
Range in days	-
Range tank length	-
Output in watts	-
Output per hour	-
Output per day	-
Height	-
Length	-
Width	-
Diameter	-
Voltage	-
For	-
T8 26mm (watt)	-
T5 16mm (watt)	-
Size	-
Content for	-
Filter container volume	-
Volume filter media	-
Hose connections pressure/out	-
Hose connections suction/in	-
Delivery head	-





JBL ProFlow sf u500/750/1000

Food type	-
Sub product type	-
Dosing	-



Additional information for the specialist trade sector

Article data	
Product name	JBL ProFlow sf u500/750/1000
Art. No.	6051900
VAT	19%
Sales unit (SU)	1
Volume packaging	1.2l
Dimensions (l/w/h)	83 mm/85 mm/166 mm
Layer	192
Pallet	576
Category of products	3
Customs tariff	84212100
Country of origin	IT
Type of packaging	Faltschachtel/Karton

PU 1 data	
Product name	JBL ProFlow sf u500/750/1000
Art. No.	6051900
PU 1 material	cardboard gr
PU 1 weight	500 g
PU 1 length	572 mm
PU 1 width/depth	377 mm
PU 1 height	410 mm

PU 2 data	
Product name	JBL ProFlow sf u500/750/1000
Art. No.	6051900
PU 2 material	None
PU 2 weight	-
PU 2 length	-
PU 2 width/depth	-
PU 2 height	-

Trade data	
Product name	JBL ProFlow sf u500/750/1000
Art. No.	6051900
Till receipt text	ProFlow Clear
Shelf placement	-