

Nitrite, nitrate, phosphate remover for CristalProfi e

Suitable for:



- Clean and healthy water: set with nitrite, nitrate and phosphate removers for CristalProfi e filter baskets
- To use: remove the plastic bag, put the complete set into the empty filter basket (penultimate seen from above), put the filter basket back into the filter
- Removes toxic nitrogen compound nitrite (NO2), algae promoting nitrogen compound nitrate (NO3) and algae promoting phosphate (PO4)
- Mix of clay balls and special resin in filter bag, centrally located in the foam cut-out. Thus only a part of the water flows through the bag and the slow flow increases the effect. Main water flow passes through the foam
- Package contents: 1 set with a bag of nitrite, nitrate and phosphate removers and 2 foam inserts on top of each other with rounded cut-out for filter bag







of cloudiness

types of water cloudiness

Country: Denmark

Language: English





Product information

#### Clean and healthy water

Plant and food remains and metabolic substances lead to a deterioration in the quality of the water in the aquarium. Good water quality is necessary for healthy fish and plants. This can be achieved with various filters and filter materials. The filters suck in the aquarium water and remove the pollution and waste materials with the filter material from the water.

This set consists of round foam inserts for the JBL CristalProfi e filter baskets, which have a bag of dedicated filter material at their core. This means that the main water flow in the filter goes through the foam on the outside and a slowed, reduced flow of water goes through the central filter bag. The dedicated filter material thus perfectly binds the troublesome substances nitrite, nitrate and phosphate and removes them from the water. Water tests are the easiest way to determine when the set needs to be replaced.

Nitrite (NO2) poisons the blood of aquarium fish and amounts as low as 0.4 mg/l can lead to death. Nitrate (NO3) is non-toxic, but a mere 20 mg/l can act as a nutrient to promote the growth of all types of algae (except diatoms).

Phosphate (PO4) is also non-toxic, but from 0.3 mg/l it starts to promote the growth of all types of algae (except diatoms)

Further information	
FAQ	~
Blog	~
Press	×
Laboratory/calculator	×
Worth reading	✓
Spare parts	×
Video	~
GarantiePlus	×
Instructions	~
QR code	



## Product details

Article data		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600
EAN number	4014162601759	4014162601766
EAN as barcode		
Content	500 ml	800 ml
For CPe	4-7-901,2	15-1901,2
Expiry months	-	-
RRP incl. VAT	18,09€	24,60 €
Base price	36.18€	-
Nominal filling quantity	500 ml	-
Base quantity	11	1
Gross weight	476 g	697 g
Net weight	388 g	593 g
Weight change	1000	1000
Disposal		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600
Green dot	$\checkmark$	$\checkmark$
Group electronic waste	-	-
Disposal weight	-	-
Battery type	-	-
Battery return	-	-
Battery rechargeable	-	-
Disposal weight battery	-	-
Non-returnable glass	-	-
РРК	73 g	102 g
Plastic small	15 g	2 g
Plastic large	-	-
Disposal weight metal	0 g	0 g

Features		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600

#### TECHNICAL PRODUCTS TECHNIK TECHNIQUE

Features		
Animal species	Armored catfish, Arowana, Axolotl, Barbels, Bettas, Bichirs/ reedfish, Blowfish, Catfish, Cichlids (South America), Clawed frogs, Clawed shrimps, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Gill maggots, Goldfish, Gouramis, Guppy, Juvenle fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Tera, Tropical terrapins, Veiltails, blood parrot cichlids, freshwater butterflyfish, turtle	Armored catfish, Arowana, Axolotl, Barbels, Bettas, Bichirs/ reedfish, Blowfish, Catfish, Cichlids (South America), Clawed frogs, Clawed shrimps, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Gill magots, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Tetra, Tropical terrapins, Veiltails, blood parrot cichlids, freshwater butterflyfish, turtle
Animal size	For all animal sizes	For all animal sizes
Animal age group	All aquarium fish	All aquarium fish
Volume of habitat	> 300 L	800 L
Material	-	-
Food type	-	-
Colour	blue	blue
Dosage	-	-
Transport conditions	-	-





# JBL CRISTALPROFI CLEARMEC e

Art. No.6017500Ambient temperature-Start time-Mercury-Tube length-Service life-Lumen-CRI value-Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-Z-Colour temperature-Base designation-Technical data-Product nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2Art. No.6017500Range in litres-Range from - to-Range tank length-Output in watts-Output per hour-Qutput per day-Height-Length-	6017600     -
Start time-Mercury-Tube length-Service life-Lumen-CRI value-Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2Art. No.6017500Range in litres-Range from - to-Range tank length-Output per hour-Output per day-Height-	-     - <td< td=""></td<>
Mercury-Tube length-Service life-Lumen-CRI value-Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-A-UV-C-Colour temperature-Base designation-Technical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2Art. No.6017500Range in litres-Range from - to-Range tank length-Output per hour-Output per day-Height-	-     - <td< td=""></td<>
Tube length-Service life-Lumen-CRI value-Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-A-UV-B-Colour temperature-Base designation-Technical dataJBL CRISTALPROFI CLEARMEC e4/7/900/1,2Art. No.6017500Range in litres-Range from - to-Range tank length-Output per hour-Output per day-Height-	-     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       JBL CRISTALPROFI CLEARME       +     -
Service life - Lumen - CRI value - Dimmable - Switching cycles - PAR value - Energy efficiency class - UV-A - UV-B - UV-B - UV-C - Colour temperature - Base designation - Technical data - Technical data - Product name JBL CRISTALPROFI CLEARMEC e4/7/900/1,2 Art. No. 6017500 Range in litres - Range from - to - Range in days - Range tank length - Output in watts - Output per hour - Output per day - Height -	-     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       JBL CRISTALPROFI CLEARME       +     JBL CRISTALPROFI CLEARME
Lumen-CRI value-Dimmable-Switching cycles-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2Art. No.6017500Range in litres-Range from - to-Range tank length-Output per hour-Output per day-Height-	-     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       JBL CRISTALPROFI CLEARME       +     JBL CRISTALPROFI CLEARME
CRI value   -     Dimmable   -     Switching cycles   -     PAR value   -     Energy efficiency class   -     UV-A   -     UV-A   -     UV-B   -     UV-C   -     Colour temperature   -     Base designation   -     Technical data   -     Product name   JBL CRISTALPROFI CLEARMEC e4/7/900/1,2     Art. No.   6017500     Range in litres   -     Range from - to   -     Range tank length   -     Output per hour   -     Output per hour   -     Output per day   -	-     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       JBL CRISTALPROFI CLEARME       =     15/1900/1,2
Dimmable-Switching cycles-PAR value-Energy efficiency class-UV-A-UV-B-UV-C-Colour temperature-Base designation-Technical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2Art. No.6017500Range in litres-Range from - to-Range tank length-Output in watts-Output per hour-Output per day-Height-	-     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       JBL CRISTALPROFI CLEARME       =     15/1900/1,2
Switching cycles - PAR value - Energy efficiency class - UV-A - UV-B - UV-C - Colour temperature - Base designation - Technical data - Product name - Hroduct name - US-C - Art. No. 6017500 Range in litres - Range from - to - Range in days - Range tank length - Output in watts - Output per hour - Output per day - Height - Height -	-     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       JBL CRISTALPROFI CLEARME       e15/1900/1,2
PAR value   -     Energy efficiency class   -     UV-A   -     UV-B   -     UV-C   -     Colour temperature   -     Base designation   -     Technical data   -     Product name   JBL CRISTALPROFI CLEARMEC e4/7/900/1,2     Art. No.   6017500     Range in litres   -     Range from - to   -     Range tank length   -     Output in watts   -     Output per hour   -     Output per day   -	-     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       -     -       JBL CRISTALPROFI CLEARME       15/1900/1,2
Energy efficiency class - Energy efficiency class - UV-A - UV-B - UV-C - Colour temperature - Base designation - Technical data - Product name JBL CRISTALPROFI CLEARMEC e4/7/900/1,2 Art. No. 6017500 Range in litres - Range from - to - Range from - to - Range tank length - Output in watts - Output per hour - Output per day - Height -	
UV-A   -     UV-B   -     UV-C   -     Colour temperature   -     Base designation   -     Technical data     Technical data     IBL CRISTALPROFI CLEARMEC     e4/7/900/1,2     Art. No.   6017500     Range in litres   -     Range from - to   -     Range in days   -     Range tank length   -     Output per hour   -     Output per day   -     Height   -	
UV-B -   UV-C -   Colour temperature -   Base designation -   Technical data -   Product name JBL CRISTALPROFI CLEARMEC e4/7/900/1,2   Art. No. 6017500   Range in litres -   Range from - to -   Range tank length -   Output per hour -   Output per day -   Height -	
UV-C   -     Colour temperature   -     Base designation   -     Base designation   -     Technical data   -     Product name   JBL CRISTALPROFI CLEARMEC e4/7/900/1,2     Art. No.   6017500     Range in litres   -     Range from - to   -     Range tank length   -     Output in watts   -     Output per hour   -     Output per day   -	- - - JBL CRISTALPROFI CLEARME e15/1900/1,2
Colour temperature   -     Base designation   -     Technical data   -     Product name   JBL CRISTALPROFI CLEARMEC     e4/7/900/1,2   6017500     Range in litres   -     Range from - to   -     Range tank length   -     Output in watts   -     Output per hour   -     Output per day   -	JBL CRISTALPROFI CLEARME
Base designation -   Technical data   Product name JBL CRISTALPROFI CLEARMEC e4/7/900/1,2   Art. No. 6017500   Range in litres -   Range in litres -   Range from - to -   Range in days -   Range tank length -   Output per hour -   Output per day -   Height -	JBL CRISTALPROFI CLEARME
Technical data     Product name   JBL CRISTALPROFI CLEARMEC e4/7/900/1,2     Art. No.   6017500     Range in litres   -     Range from - to   -     Range in days   -     Range tank length   -     Output in watts   -     Output per hour   -     Output per day   -	JBL CRISTALPROFI CLEARME e15/1900/1,2
Product name JBL CRISTALPROFI CLEARMEC   e4/7/900/1,2   Art. No. 6017500   Range in litres -   Range from - to -   Range from - to -   Range in days -   Range tank length -   Output in watts -   Output per hour -   Output per day -	e15/1900/1,2
Range in litres -   Range from - to -   Range in days -   Range tank length -   Output in watts -   Output per hour -   Output per day -   Height -	
Range in litres -   Range from - to -   Range in days -   Range tank length -   Output in watts -   Output per hour -   Output per day -   Height -	6017600
Range from - to -   Range in days -   Range tank length -   Output in watts -   Output per hour -   Output per day -   Height -	
Range in days -   Range tank length -   Output in watts -   Output per hour -   Output per day -   Height -	-
Range tank length -   Output in watts -   Output per hour -   Output per day -   Height -	-
Output in watts -   Output per hour -   Output per day -   Height -	-
Output per hour - Output per day - Height -	-
Output per day	
Height -	-
-	-
	-
	-
	-
Voltage -	-
For -	-
T8 26mm (watt) -	-
T5 16mm (watt) -	-
Size -	-
Content for -	
Filter container volume -	-



Hose connections pressure/out Hose connections suction/in



Technical data		
Delivery head	-	-





## JBL CRISTALPROFI CLEARMEC e

Food type	-
Sub product type	-
Dosing	-



7



### Additional information for the specialist trade sector

Article data		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600
VAT	25%	25%
Sales unit (SU)	3	3
Volume packaging	1.981	2.41
Dimensions (l/w/h)	70 mm/160 mm/177 mm	70 mm/175 mm/196 mm
Layer	120	72
Pallet	360	288
Category of products	2	2
Customs tariff	28182000	28182000
Country of origin	BE	BE
Type of packaging	Faltschachtel/Karton	Faltschachtel/Karton

PU 1 data		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600
PU 1 material	film gr	film gr
PU 1 weight	3.7 g	3.8 g
PU 1 lengh	160 mm	175 mm
PU 1 width/depth	200 mm	220 mm
PU 1 height	180 mm	200 mm

PU 2 data		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600
PU 2 material	cardboard gr	cardboard gr
PU 2 weight	650 g	720 g
PU 2 lengh	500 mm	550 mm
PU 2 width/depth	370 mm	415 mm
PU 2 height	360 mm	310 mm

Trade data		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600
Till receipt text	ClearMec+ e7/e9	ClearMec+ e1500
Shelf placement	-	-



8