



External heater for all aquariums from 160 to 600 l

Suitable for:









- In-line heater integrated into the hose of the external aquarium filter, removing the need for a heater INSIDE an Aquarium
- Easy installation: cut through the hose from the external filter that feeds the water back into the aquarium, insert the external heater in between, insert the plug and set the water temperature you wänt
- The integration in the filter circuit ensures a very even distribution of the water temperature with an accuracy of +/- 0.5 °C and a switching interval of 1.0 °C in the aquarium
- LED display of current and desired temperature. Interchangeable, screw-on (3/4") hose connections for 12/16, 16/22 and 19/25 mm incl. hose securing. Total length 30.5 cm
- Package contents: 1 in-line heater 500 W for aquariums from 160-600 I (100-150 cm) with hose connections for 12/16, 16/22 and 19/25 mm and cleaning brush



You may also be interested in

You can find a complete overview here: https://www.jbl.de/qr/60428





JBL Aquarium Thermometer DigiScan

Digital adhering thermometer for aquarium panes



JBL Aguarium Thermometer DigiScan Alarm

Digital aquarium thermometer with alarm function



JBL double stopcock+ quick coupling

For connecting, disconnecting & shutting off hoses



JBL PROTEMP b III Substrate heating for freshwater aquariums











JBL Aquarium Tubing GREEN

Pre-cut green hose for aquariums & ponds



JBL Aquarium Tubing GREY

Pre-cut grey hose for aquariums & ponds



JBL double stopcock+ quick coupling For connecting, disconnecting & shutting off hoses



Country: Greece

Language: English














JBL ProTemp e300/500 cleaning brush



JBL PROTEMP e seal set









Product information

Most aquarium fish come from tropical waters and need water temperatures between 22 and 30 °C. In community aquariums with fish/invertebrates from different regions, a water temperature of 24-26 °C has shown to be effective. 30 °C is only suitable for some fish breeding (e.g. discus fish). Many shrimp species come from cooler waters and do not tolerate temperatures of 25-30°C.

The water temperature should be set with an "adjustable heater" which regulates the temperature automatically. For this purpose, there are rod-shaped heaters which are fixed in the aquarium (JBL ProTemp s) in various wattages and external heaters/in-line heaters which are integrated in the water-returning hose of an external filter (JBL ProTemp e) in two wattages. The advantage of external heaters is that it is one less product to be placed INSIDE the aquarium and the distribution of heat in the aquarium is more even. In addition, the digital display of the external heater always clearly shows the current water temperature. The outdoor heaters can of course also be operated with a separate water pump.

Undergravel heating is NOT used to set the water temperature. An undergravel heating cable ensures a better flow of water through the substrate of the aquarium, as the heated water at the heating cable rises and colder water flows into the areas between the heating cables. Thus nutrients are flushed to the plant roots and ensure optimal plant growth. Undergravel heating cables must always be supplemented by a "main heater" (JBL ProTemp s or e).

| Further information | |
|-----------------------|---|
| FAQ | ~ |
| Blog | ~ |
| Press | ~ |
| Laboratory/calculator | × |
| Worth reading | ~ |
| Spare parts | ~ |
| Video | ~ |
| GarantiePlus | ~ |
| Instructions | ~ |
| QR code | |









Product details

| Article data | |
|--------------------------|------------------|
| Product name | JBL PROTEMP e500 |
| Art. No. | 6042800 |
| EAN number | 4014162604286 |
| EAN as barcode | |
| Watt | 500 |
| For | 160-600 I |
| Expiry months | - |
| RRP incl. VAT | 57,82 € |
| Base price | - |
| Nominal filling quantity | - |
| Base quantity | 1 |
| Gross weight | 500 g |
| Net weight | 400 g |
| Weight change | - |

| Disposal | |
|-------------------------|---|
| Product name | JBL PROTEMP e500 |
| Art. No. | 6042800 |
| Green dot | ✓ |
| Group electronic waste | Small appliances that can be used in private households |
| Disposal weight | 330 g |
| Battery type | - |
| Battery return | - |
| Battery rechargeable | - |
| Disposal weight battery | - |
| Non-returnable glass | - |
| PPK | 83 g |
| Plastic small | 8 g |
| Plastic large | - |
| Disposal weight metal | 0 g |

| Features | |
|--------------|------------------|
| Product name | JBL PROTEMP e500 |
| Art. No. | 6042800 |



Date: 31.12.2023 Produced by:

TECHNICAL PRODUCTS TECHNIK TECHNIQUE





| Features | |
|----------------------|--|
| Animal species | Armored catfish, Arowana, Axolotl, Barbels, Bettas, Bichirs/ reedfish, Blowfish, Catfish, Cichlids (South America), Clawed frogs, Clawed shrimps, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Veiltails, blood parrot cichlids, freshwater butterflyfish |
| Animal size | For all animal sizes |
| Animal age group | All aquarium and terrarium animals |
| Volume of habitat | - |
| Material | plastic (PC) / glass |
| Food type | - |
| Colour | dark grey |
| Dosage | - |
| Transport conditions | - |







| Electronic label / illuminant | |
|-------------------------------|------------------|
| Product name | JBL PROTEMP e500 |
| Art. No. | 6042800 |
| Ambient temperature | - |
| Start time | - |
| Mercury | - |
| Tube length | - |
| Service life | - |
| Lumen | - |
| CRI value | - |
| Dimmable | - |
| Switching cycles | - |
| PAR value | - |
| Energy efficiency class | - |
| UV-A | - |
| UV-B | - |
| UV-C | - |
| Colour temperature | - |
| Base designation | - |

| Technical data | |
|-------------------------------|------------------|
| Product name | JBL PROTEMP e500 |
| Art. No. | 6042800 |
| Range in litres | 600 I |
| Range from - to | 160-6001 |
| Range in days | - |
| Range tank length | 150 |
| Output in watts | 500 W |
| Output per hour | - |
| Output per day | - |
| Height | 295 mm |
| Length | 90 mm |
| Width | 80 mm |
| Diameter | - |
| Voltage | 240 V |
| For | - |
| T8 26mm (watt) | - |
| T5 16mm (watt) | - |
| Size | - |
| Content for | - |
| Filter container volume | - |
| Volume filter media | - |
| Hose connections pressure/out | - |
| Hose connections suction/in | - |
| Delivery head | - |







| Food type | - |
|------------------|---|
| Sub product type | - |
| Dosing | - |



Date: 31.12.2023 Produced by:







Additional information for the specialist trade sector

| Article data | |
|----------------------|----------------------|
| Product name | JBL PROTEMP e500 |
| Art. No. | 6042800 |
| VAT | 24% |
| Sales unit (SU) | 1 |
| Volume packaging | 2.61 |
| Dimensions (I/w/h) | 85 mm/90 mm/350 mm |
| Layer | 72 |
| Pallet | 216 |
| Category of products | 3 |
| Customs tariff | 85161080 |
| Country of origin | CN |
| Type of packaging | Faltschachtel/Karton |

| PU 1 data | |
|------------------|------------------|
| Product name | JBL PROTEMP e500 |
| Art. No. | 6042800 |
| PU 1 material | cardboard gr |
| PU 1 weight | 450 g |
| PU 1 lengh | 440 mm |
| PU 1 width/depth | 280 mm |
| PU 1 height | 300 mm |

| PU 2 data | |
|------------------|------------------|
| Product name | JBL PROTEMP e500 |
| Art. No. | 6042800 |
| PU 2 material | None |
| PU 2 weight | - |
| PU 2 lengh | - |
| PU 2 width/depth | - |
| PU 2 height | - |

| Trade data | |
|-------------------|------------------|
| Product name | JBL PROTEMP e500 |
| Art. No. | 6042800 |
| Till receipt text | ProTemp e500 |
| Shelf placement | Technology shelf |



31.12.2023 Date: Produced by: