



# JBL PROFLORA CO2 TAIFUN INLINE

CO2 diffuser for installation in external filter hose

Suitable for: 



- Very efficient CO2 enrichment for perfect plant growth in the aquarium thanks to its installation inside the filter return hose
- Cut the water return hose from the external filter, water the membrane of the diffuser, install the INLINE DIFFUSER, connect the CO2 supply hose, adjust the bubble count
- Bubble counter, for checking the amount of CO2 added, is integrated. Water backflow protection, to protect the technical parts, is also integrated
- 20 % CO2 savings thanks to particularly effective diaphragm
- Includes: 1 ready-to-connect high-performance CO2 direct diffuser, wall mount, suction cup and screw attachment



# JBL PROFLORA CO2 TAIFUN INLINE



Spare parts



## JBL PROFLORA CO2 TAIFUN INLINE MEMBRANE

Replacement diaphragm for  
CO2 TAIFUN INLINE diffuser



## JBL PF CO2 INLINE bubble counter + check valve



## JBL PF CO2 INLINE holder set



## JBL PF CO2 INLINE seal set



# JBL PROFLORA CO2 TAIFUN INLINE



## Product information

### Ideal nutrition for plants


Having the right CO<sub>2</sub> concentration in the water is hugely important for aquarium plants. Carbon dioxide is the plants' main nutrient and it fully promotes their growth. Plants use CO<sub>2</sub> for photosynthesis and this supplies the water with essential oxygen. They prevent algae growth, remove pollutants, provide hiding places and reduce germs.

### Efficient enrichment of the aquarium water with CO<sub>2</sub>:

Inside the diffuser is a special diaphragm through which the CO<sub>2</sub> diffuses into the aquarium water, which is pumped back into the aquarium by the external filter. The very small CO<sub>2</sub> bubbles dissolve very well in the water and save about 20 % compared to other CO<sub>2</sub> diffusers.

### Easy to install

The direct diffuser needs to be integrated into the hose as close as possible to the external filter canister in order to extend the distance of the CO<sub>2</sub> in the hose as much as possible. A vertical installation position allows the best readability of the integrated bubble counter.

| Further information   |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| FAQ                   | ✓                                                                                   |
| Blog                  | ✓                                                                                   |
| Press                 | ✗                                                                                   |
| Laboratory/calculator | ✗                                                                                   |
| Worth reading         | ✓                                                                                   |
| Spare parts           | ✓                                                                                   |
| Video                 | ✓                                                                                   |
| GarantiePlus          | ✗                                                                                   |
| Instructions          | ✓                                                                                   |
| QR code               |  |



# JBL PROFLORA CO2 TAIFUN INLINE



## Product details

| Article data             |                                      |                                      |                                      |
|--------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Product name             | JBL PROFLORA CO2 TAIFUN INLINE 12/16 | JBL PROFLORA CO2 TAIFUN INLINE 16/22 | JBL PROFLORA CO2 TAIFUN INLINE 19/25 |
| Art. No.                 | 6468700                              | 6468800                              | 6468900                              |
| EAN number               | 4014162646873                        | 4014162646880                        | 4014162646897                        |
| EAN as barcode           |                                      |                                      |                                      |
| For                      | 12/16                                | 16/22                                | 19/25                                |
| Range                    | 40-300 l                             | 160-600 l                            | 200-800 l                            |
| Expiry months            | -                                    | -                                    | -                                    |
| RRP incl. VAT            | 36,92 €                              | 39,37 €                              | 44,49 €                              |
| Base price               | -                                    | -                                    | -                                    |
| Nominal filling quantity | -                                    | -                                    | -                                    |
| Base quantity            | 1                                    | 1                                    | 1                                    |
| Gross weight             | 145.96 g                             | 148.87 g                             | 160.82 g                             |
| Net weight               | 89 g                                 | 91 g                                 | 103 g                                |
| Weight change            | -                                    | -                                    | -                                    |

| Disposal                |                                      |                                      |                                      |
|-------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Product name            | JBL PROFLORA CO2 TAIFUN INLINE 12/16 | JBL PROFLORA CO2 TAIFUN INLINE 16/22 | JBL PROFLORA CO2 TAIFUN INLINE 19/25 |
| Art. No.                | 6468700                              | 6468800                              | 6468900                              |
| Green dot               | ✓                                    | ✓                                    | ✓                                    |
| Group electronic waste  | -                                    | -                                    | -                                    |
| Disposal weight         | -                                    | -                                    | -                                    |
| Battery type            | -                                    | -                                    | -                                    |
| Battery return          | -                                    | -                                    | -                                    |
| Battery rechargeable    | -                                    | -                                    | -                                    |
| Disposal weight battery | -                                    | -                                    | -                                    |
| Non-returnable glass    | -                                    | -                                    | -                                    |
| PPK                     | 56.91 g                              | 56.93 g                              | 56.95 g                              |
| Plastic small           | -                                    | -                                    | -                                    |
| Plastic large           | -                                    | -                                    | -                                    |
| Disposal weight metal   | 0 g                                  | 0 g                                  | 0 g                                  |

| Features       |                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                           |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product name   | JBL PROFLORA CO2 TAIFUN INLINE 12/16                                                                                                                                                                                                                                                                                      | JBL PROFLORA CO2 TAIFUN INLINE 16/22                                                                                                                                                                                                                                                                                      | JBL PROFLORA CO2 TAIFUN INLINE 19/25                                                                                                                                                                                                                                                                                      |
| Art. No.       | 6468700                                                                                                                                                                                                                                                                                                                   | 6468800                                                                                                                                                                                                                                                                                                                   | 6468900                                                                                                                                                                                                                                                                                                                   |
| Animal species | Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Panchaxes, Rainbowfish, Snails, Spiny eels, Tetra, Veiltails, freshwater butterflyfish | Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Panchaxes, Rainbowfish, Snails, Spiny eels, Tetra, Veiltails, freshwater butterflyfish | Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Panchaxes, Rainbowfish, Snails, Spiny eels, Tetra, Veiltails, freshwater butterflyfish |





| Features             |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|
| Animal size          | For all animal sizes | For all animal sizes | For all animal sizes |
| Animal age group     | All aquarium fish    | All aquarium fish    | All aquarium fish    |
| Volume of habitat    | 40 - 300 L           | 160 - 600 L          | 200 - 800 L          |
| Material             | plastic (PS)         | plastic (PS)         | plastic (PS)         |
| Food type            | -                    | -                    | -                    |
| Colour               | black / white / grey | black / white / grey | black / white / grey |
| Dosage               | -                    | -                    | -                    |
| Transport conditions | -                    | -                    | -                    |



# JBL PROFLORA CO2 TAIFUN INLINE

| Electronic label / illuminant |                                         |                                         |                                         |
|-------------------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
| Product name                  | JBL PROFLORA CO2 TAIFUN<br>INLINE 12/16 | JBL PROFLORA CO2 TAIFUN<br>INLINE 16/22 | JBL PROFLORA CO2 TAIFUN<br>INLINE 19/25 |
| Art. No.                      | 6468700                                 | 6468800                                 | 6468900                                 |
| Ambient temperature           | -                                       | -                                       | -                                       |
| Start time                    | -                                       | -                                       | -                                       |
| Mercury                       | -                                       | -                                       | -                                       |
| Tube length                   | -                                       | -                                       | -                                       |
| Service life                  | -                                       | -                                       | -                                       |
| Lumen                         | -                                       | -                                       | -                                       |
| CRI value                     | -                                       | -                                       | -                                       |
| Dimmable                      | -                                       | -                                       | -                                       |
| Switching cycles              | -                                       | -                                       | -                                       |
| PAR value                     | -                                       | -                                       | -                                       |
| Energy efficiency class       | -                                       | -                                       | -                                       |
| UV-A                          | -                                       | -                                       | -                                       |
| UV-B                          | -                                       | -                                       | -                                       |
| UV-C                          | -                                       | -                                       | -                                       |
| Colour temperature            | -                                       | -                                       | -                                       |
| Base designation              | -                                       | -                                       | -                                       |

| Technical data                |                                         |                                         |                                         |
|-------------------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
| Product name                  | JBL PROFLORA CO2 TAIFUN<br>INLINE 12/16 | JBL PROFLORA CO2 TAIFUN<br>INLINE 16/22 | JBL PROFLORA CO2 TAIFUN<br>INLINE 19/25 |
| Art. No.                      | 6468700                                 | 6468800                                 | 6468900                                 |
| Range in litres               | -                                       | -                                       | -                                       |
| Range from - to               | 40-300 l                                | 160-600 l                               | 200-800 l                               |
| Range in days                 | -                                       | -                                       | -                                       |
| Range tank length             | -                                       | -                                       | -                                       |
| Output in watts               | -                                       | -                                       | -                                       |
| Output per hour               | -                                       | -                                       | -                                       |
| Output per day                | -                                       | -                                       | -                                       |
| Height                        | 140 mm                                  | 140 mm                                  | 140 mm                                  |
| Length                        | 80 mm                                   | 80 mm                                   | 80 mm                                   |
| Width                         | 52 mm                                   | 52 mm                                   | 52 mm                                   |
| Diameter                      | -                                       | -                                       | -                                       |
| Voltage                       | -                                       | -                                       | -                                       |
| For                           | -                                       | -                                       | -                                       |
| T8 26mm (watt)                | -                                       | -                                       | -                                       |
| T5 16mm (watt)                | -                                       | -                                       | -                                       |
| Size                          | -                                       | -                                       | -                                       |
| Content for                   | -                                       | -                                       | -                                       |
| Filter container volume       | -                                       | -                                       | -                                       |
| Volume filter media           | -                                       | -                                       | -                                       |
| Hose connections pressure/out | -                                       | -                                       | -                                       |
| Hose connections suction/in   | -                                       | -                                       | -                                       |



| Technical data |   |   |   |
|----------------|---|---|---|
| Delivery head  | - | - | - |



# JBL PROFLORA CO2 TAIFUN INLINE

|                  |   |
|------------------|---|
| Food type        | - |
| Sub product type | - |
| Dosing           | - |



## Additional information for the specialist trade sector

| Article data         |                                         |                                         |                                         |
|----------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
| Product name         | JBL PROFLORA CO2 TAIFUN<br>INLINE 12/16 | JBL PROFLORA CO2 TAIFUN<br>INLINE 16/22 | JBL PROFLORA CO2 TAIFUN<br>INLINE 19/25 |
| Art. No.             | 6468700                                 | 6468800                                 | 6468900                                 |
| VAT                  | 27%                                     | 27%                                     | 27%                                     |
| Sales unit (SU)      | 3                                       | 3                                       | 3                                       |
| Volume packaging     | 1.74l                                   | 1.74l                                   | 1.74l                                   |
| Dimensions (l/w/h)   | 55 mm/140 mm/218 mm                     | 55 mm/140 mm/218 mm                     | 55 mm/140 mm/218 mm                     |
| Layer                | 96                                      | 96                                      | 96                                      |
| Pallet               | 192                                     | 384                                     | 192                                     |
| Category of products | 3                                       | 3                                       | 3                                       |
| Customs tariff       | 39269097                                | 39269097                                | 39269097                                |
| Country of origin    | CN                                      | CN                                      | CN                                      |
| Type of packaging    | Faltschachtel/Karton                    | Faltschachtel/Karton                    | Faltschachtel/Karton                    |

| PU 1 data        |                                         |                                         |                                         |
|------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
| Product name     | JBL PROFLORA CO2 TAIFUN<br>INLINE 12/16 | JBL PROFLORA CO2 TAIFUN<br>INLINE 16/22 | JBL PROFLORA CO2 TAIFUN<br>INLINE 19/25 |
| Art. No.         | 6468700                                 | 6468800                                 | 6468900                                 |
| PU 1 material    | cardboard gr                            | cardboard gr                            | cardboard gr                            |
| PU 1 weight      | 130 g                                   | 130 g                                   | 130 g                                   |
| PU 1 length      | 225 mm                                  | 225 mm                                  | 225 mm                                  |
| PU 1 width/depth | 175 mm                                  | 175 mm                                  | 175 mm                                  |
| PU 1 height      | 150 mm                                  | 150 mm                                  | 150 mm                                  |

| PU 2 data        |                                         |                                         |                                         |
|------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
| Product name     | JBL PROFLORA CO2 TAIFUN<br>INLINE 12/16 | JBL PROFLORA CO2 TAIFUN<br>INLINE 16/22 | JBL PROFLORA CO2 TAIFUN<br>INLINE 19/25 |
| Art. No.         | 6468700                                 | 6468800                                 | 6468900                                 |
| PU 2 material    | cardboard gr                            | cardboard gr                            | cardboard gr                            |
| PU 2 weight      | 804 g                                   | 804 g                                   | 804 g                                   |
| PU 2 length      | 480 mm                                  | 480 mm                                  | 480 mm                                  |
| PU 2 width/depth | 380 mm                                  | 380 mm                                  | 380 mm                                  |
| PU 2 height      | 340 mm                                  | 340 mm                                  | 340 mm                                  |

| Trade data        |                                         |                                         |                                         |
|-------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
| Product name      | JBL PROFLORA CO2 TAIFUN<br>INLINE 12/16 | JBL PROFLORA CO2 TAIFUN<br>INLINE 16/22 | JBL PROFLORA CO2 TAIFUN<br>INLINE 19/25 |
| Art. No.          | 6468700                                 | 6468800                                 | 6468900                                 |
| Till receipt text | CO2 INLINE12/16                         | CO2 INLINE16/22                         | CO2 INLINE19/25                         |
| Shelf placement   | -                                       | -                                       | -                                       |