

Nitrite, nitrate, phosphate remover for CristalProfi e

Suitable for: 🔍 🛸



- Clean and healthy water: set with nitrite, nitrate and phosphate removers for CristalProfi e filter baskets
- To use: remove the plastic bag, put the complete set into the empty filter basket (penultimate seen from above), put the filter basket back into the filter
- Removes toxic nitrogen compound nitrite (NO2), algae promoting nitrogen compound nitrate (NO3) and algae promoting phosphate (PO4)
- Mix of clay balls and special resin in filter bag, centrally located in the foam cut-out. Thus only a part of the water flows through the bag and the slow flow increases the effect. Main water flow passes through the foam
- Package contents: 1 set with a bag of nitrite, nitrate and phosphate removers and 2 foam inserts on top of each other with rounded cut-out for filter bag





1

Country: United States of America Language: English



Product information

Clean and healthy water

Plant and food remains and metabolic substances lead to a deterioration in the quality of the water in the aquarium. Good water quality is necessary for healthy fish and plants. This can be achieved with various filters and filter materials. The filters suck in the aquarium water and remove the pollution and waste materials with the filter material from the water.

This set consists of round foam inserts for the JBL CristalProfi e filter baskets, which have a bag of dedicated filter material at their core. This means that the main water flow in the filter goes through the foam on the outside and a slowed, reduced flow of water goes through the central filter bag. The dedicated filter material thus perfectly binds the troublesome substances nitrite, nitrate and phosphate and removes them from the water. Water tests are the easiest way to determine when the set needs to be replaced.

Nitrite (NO2) poisons the blood of aquarium fish and amounts as low as 0.4 mg/l can lead to death. Nitrate (NO3) is non-toxic, but a mere 20 mg/l can act as a nutrient to promote the growth of all types of algae (except diatoms).

Phosphate (PO4) is also non-toxic, but from 0.3 mg/l it starts to promote the growth of all types of algae (except diatoms)

Further information		
FAQ	~	
Blog	~	
Press	×	
Laboratory/calculator	×	
Worth reading	✓	
Spare parts	×	
Video	~	
GarantiePlus	×	
Instructions	~	
QR code		



Product details

Article data		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600
EAN number	4014162601759	4014162601766
EAN as barcode		
Content	500 ml	800 ml
For CPe	4-7-901,2	15-1901,2
Expiry months	-	-
RRP incl. VAT	17,22 €	23,42 €
Base price	34.44 €	-
Nominal filling quantity	500 ml	-
Base quantity	11	1
Gross weight	476 g	697 g
Net weight	388 g	593 g
Weight change	1000	1000
Disposal		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600
Green dot	\checkmark	\checkmark
Group electronic waste	-	-
Disposal weight	-	-
Battery type	-	-
Battery return	-	-
Battery rechargeable	-	-
Disposal weight battery	-	-
Non-returnable glass	-	-
РРК	73 g	102 g
Plastic small	15 g	2 g
Plastic large	-	-
Disposal weight metal	0 g	0 g

Features		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600

TECHNICAL PRODUCTS TECHNIK TECHNIQUE

Features		
Animal species	Armored catfish, Arowana, Axolotl, Barbels, Bettas, Bichirs/ reedfish, Blowfish, Catfish, Cichlids (South America), Clawed frogs, Clawed shrimps, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Gill maggots, Goldfish, Gouramis, Guppy, Juvenle fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Tera, Tropical terrapins, Veiltails, blood parrot cichlids, freshwater butterflyfish, turtle	Armored catfish, Arowana, Axolotl, Barbels, Bettas, Bichirs/ reedfish, Blowfish, Catfish, Cichlids (South America), Clawed frogs, Clawed shrimps, Crayfish, Crustaceans, Danions, Discus, Dwarf crayfish, Dwarf shrimps, Flowerhorn, Gill magots, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Tetra, Tropical terrapins, Veiltails, blood parrot cichlids, freshwater butterflyfish, turtle
Animal size	For all animal sizes	For all animal sizes
Animal age group	All aquarium fish	All aquarium fish
Volume of habitat	> 300 L	800 L
Material	-	-
Food type	-	-
Colour	blue	blue
Dosage	-	-
Transport conditions	-	-





JBL CRISTALPROFI CLEARMEC e

Ambient temperature - - Start time - - Mercury - - Tube length - - Service life - - Lumen - - CRI value - - Dimmable - - Switching cycles - - PAR value - - UV-A - - UV-A - - UV-B - - Colour temperature - - Base designation - - Product name JBL CRISTALPROFI CLEARMEC et//7900/1,2 JBL	IBL CRISTALPROFI CLEARMEC e15/1900/1,2																																																
Start timeMercuryTube lengthService lifeLumenCRI valueDimmableSwitching cyclesPAR valueEnergy efficiency classUV-AUV-AUV-GColour temperatureBase designationProduct nameJBL CRISTALPROFI CLEARMEC et/7/900/1,2.Art. No.6017500.Range in litresRange in daysRange in daysOutput per hourOutput per dayHeightLengthTatageTatageOutput per dayTatageTatageDiameterVoltageForTa 26mm (watt)SizeContent forContent forContent forContent forContent forContent forContent forContent for	5017600																																																
MercuryTube lengthService lifeLumenCRI valueDimmableSwitching cyclesPAR valueEnergy efficiency classUV-AUV-BColour temperatureBase designationTerchnical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/190/1,2JArt. No.60175006Range in litresRange in daysQutput in wattsOutput in wattsOutput per hourUththDimeterYoltageForTa 26mm (watt)SizeContent forSizeContent forContent for<																																																	
Tube lengthService lifeLumenCRI valueDimmableSwitching cyclesPAR valueEnergy efficiency classUV-AUV-BUV-CColour temperatureBase designationTechnical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange from - toRange tank lengthOutput in wattsOutput per hourOutput per dayHeightDiameterYoltageForSizeContent forSizeContent forContent for <td></td>																																																	
Service life-LumenCRI valueDimmableSwitching cyclesPAR valueEnergy efficiency classUV-AUV-BColour temperatureBase designationTechnical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2IArt. No.60175006Range in litresRange in daysRange tank lengthOutput per hourOutput per dayHeightLengthWidthDiameterSizeSizeContent forSizeContent forContent forC																																																	
Lumen-CRI valueDimmableSwitching cyclesPAR valueEnergy efficiency classUV-AUV-BUV-CColour temperatureBase designationTechnical dataProduct nameJBL CRISTALPROFI CLEARMECIArt. No.60175006Range in litresRange in daysQutput per hourOutput per dayUptut per dayHeightLengthWidthTarterSizeSizeContent forSizeContent forSizeContent forContent for <td></td>																																																	
CRI value-DimmableSwitching cyclesPAR valueEnergy efficiency classUV-AUV-BUV-CColour temperatureBase designationTechnical dataJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JBProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JBRange in litresRange in daysRange tank lengthOutput per hourOutput per dayHeightLengthVoltageForTB 26mm (watt)SizeSizeContent forSizeContent forContent for																																																	
Dimmable-Switching cyclesSwitching cyclesPAR valueEnergy efficiency classUV-AUV-BUV-CColour temperatureBase designationTechnical dataJBL CRISTALPROFI CLEARMECProduct nameJBL CRISTALPROFI CLEARMECArt. No.6017500Range in litresRange from - toRange tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthTa Zamm (watt)Ta Zamm (watt)SizeContent forContent for																																																	
Switching cycles-PAR valueEnergy efficiency classUV-AUV-BUV-CColour temperatureBase designationTechnical dataJBL CRISTALPROFI CLEARMECProduct nameJBL CRISTALPROFI CLEARMECArt. No.60175006Range in litresRange from - toRange tank lengthOutput per hourOutput per hourOutput per hourUtidhFerdTage from (watt)Tage from - toRange in daysTage tank lengthOutput per hourToluput per hourTageTageTageTagem (watt)Tagem (watt)-<																																																	
PAR value-Energy efficiency classUV-AUV-BUV-CColour temperatureBase designationTechnical dataVoluct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange from - toRange tank lengthOutput per hourOutput per dayHeightLengthDiameterForTa 26mm (watt)SizeContent forContent for																																																	
Energy efficiency classUV-AUV-BUV-CColour temperatureBase designationTechnical dataIBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange from - toRange in daysRange tank lengthOutput per hourOutput per dayHeightLengthDiameterVoltageTS 16mm (watt)SizeContent for																																																	
UV-AUV-BUV-CColour temperatureBase designationTechnical dataImage designationJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange from - toRange in daysRange tank lengthOutput per hourOutput per dayHeightDiameterVoltageT8 26mm (watt)SizeContent forContent for- <td colsp<="" td=""><td></td></td>	<td></td>																																																
UV-BUV-CColour temperatureBase designationTechnical dataProduct nameJBL CRISTALPROFI CLEARMECJIArt. No.60175006Range in litresRange from - toRange in daysRange tank lengthOutput per hourOutput per dayHeightLengthDiameterForT8 26mm (watt)SizeContent for																																																	
UV-CColour temperatureBase designationJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JB eProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JB eArt. No.60175006Range in litresRange from - toRange from - toRange tank lengthOutput per hourOutput per hourOutput per dayHeightLengthVoltageForT8 26mm (watt)SizeContent for																																																	
Colour temperature - - Base designation - - Technical data - - Product name JBL CRISTALPROFI CLEARMEC e4/7/900/1,2 JI Art. No. 6017500 6 Range in litres - - Range from - to - - Range in days - - Range tank length - - Output per hour - - Output per hour - - Product name - - Range in days - - Range tank length - - Output per hour - - Output per day - - Height - - Length - - Voltage - - For - - TS 16mm (watt) - - Size - - Grade - - Size - - <tr td=""> - <td></td></tr> <tr><td>Base designationTechnical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange from - toRange in daysRange in daysRange tank lengthOutput per hourOutput per dayHeightLengthDiameterForT5 16mm (watt)SizeContent for</td><td></td></tr> <tr><td>Technical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange in litresRange from - toRange in daysRange tank lengthOutput tin wattsOutput per hourOutput per dayHeightLengthDiameterForT8 26mm (watt)SizeContent for</td><td></td></tr> <tr><td>Product nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange from - toRange in daysRange in daysRange tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthDiameterYoltageTS 16mm (watt)SizeContent for</td><td></td></tr> <tr><th>Range in litres-Range from - to-Range from - to-Range in days-Range tank length-Output in watts-Output per hour-Output per day-Output per day-Height-Diameter-Voltage-For-T8 26mm (watt)-Size-Content for-</th><th>e15/1900/1,2 5017600</th></tr> <tr><td>Range in litres-Range from - to-Range from - to-Range in days-Range tank length-Output in watts-Output per hour-Output per day-Height-Length-Diameter-Voltage-For-T8 26mm (watt)-Size-Content for-</td><td>e15/1900/1,2</td></tr> <tr><td>Range from - to-Range in daysRange tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthVoltageForT5 16mm (watt)SizeContent for</td><td></td></tr> <tr><td>Range in daysRange tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthDiameterYoltageT8 26mm (watt)SizeContent for</td><td></td></tr> <tr><td>Range tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthDiameterVoltageForT8 26mm (watt)SizeContent for</td><td></td></tr> <tr><td>Output in wattsOutput per hourOutput per dayHeightLengthWidthDiameterForT8 26mm (watt)SizeSize</td><td></td></tr> <tr><td>Output per hourOutput per dayHeightLengthWidthDiameterVoltageForT8 26mm (watt)T5 16mm (watt)SizeContent for</td><td></td></tr> <tr><td>Output per day-HeightLengthWidthDiameterVoltageForT8 26mm (watt)T5 16mm (watt)SizeContent for</td><td></td></tr> <tr><td>Height - - Length - - Width - - Diameter - - Voltage - - For - - T8 26mm (watt) - - Size - -</td><td></td></tr> <tr><td>Length-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-</td><td></td></tr> <tr><td>Width - - Diameter - - Voltage - - For - - T8 26mm (watt) - - T5 16mm (watt) - - Size - - Content for - -</td><td></td></tr> <tr><td>Diameter - - Voltage - - - For - - - T8 26mm (watt) - - - T5 16mm (watt) - - - Size - - -</td><td></td></tr> <tr><td>Voltage - - For - - T8 26mm (watt) - - T5 16mm (watt) - - Size - - Content for - -</td><td></td></tr> <tr><td>For - - T8 26mm (watt) - - - T5 16mm (watt) - - - Size - - - Content for - - -</td><td></td></tr> <tr><td>T8 26mm (watt) - - T5 16mm (watt) - - Size - - Content for - -</td><td></td></tr> <tr><td>T5 16mm (watt) - - Size - - Content for - -</td><td></td></tr> <tr><td>Size</td><td></td></tr> <tr><td>Content for</td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td>Volume filter media</td><td></td></tr>		Base designationTechnical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange from - toRange in daysRange in daysRange tank lengthOutput per hourOutput per dayHeightLengthDiameterForT5 16mm (watt)SizeContent for		Technical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange in litresRange from - toRange in daysRange tank lengthOutput tin wattsOutput per hourOutput per dayHeightLengthDiameterForT8 26mm (watt)SizeContent for		Product nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange from - toRange in daysRange in daysRange tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthDiameterYoltageTS 16mm (watt)SizeContent for		Range in litres-Range from - to-Range from - to-Range in days-Range tank length-Output in watts-Output per hour-Output per day-Output per day-Height-Diameter-Voltage-For-T8 26mm (watt)-Size-Content for-	e15/1900/1,2 5017600	Range in litres-Range from - to-Range from - to-Range in days-Range tank length-Output in watts-Output per hour-Output per day-Height-Length-Diameter-Voltage-For-T8 26mm (watt)-Size-Content for-	e15/1900/1,2	Range from - to-Range in daysRange tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthVoltageForT5 16mm (watt)SizeContent for		Range in daysRange tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthDiameterYoltageT8 26mm (watt)SizeContent for		Range tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthDiameterVoltageForT8 26mm (watt)SizeContent for		Output in wattsOutput per hourOutput per dayHeightLengthWidthDiameterForT8 26mm (watt)SizeSize		Output per hourOutput per dayHeightLengthWidthDiameterVoltageForT8 26mm (watt)T5 16mm (watt)SizeContent for		Output per day-HeightLengthWidthDiameterVoltageForT8 26mm (watt)T5 16mm (watt)SizeContent for		Height - - Length - - Width - - Diameter - - Voltage - - For - - T8 26mm (watt) - - Size - -		Length-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-		Width - - Diameter - - Voltage - - For - - T8 26mm (watt) - - T5 16mm (watt) - - Size - - Content for - -		Diameter - - Voltage - - - For - - - T8 26mm (watt) - - - T5 16mm (watt) - - - Size - - -		Voltage - - For - - T8 26mm (watt) - - T5 16mm (watt) - - Size - - Content for - -		For - - T8 26mm (watt) - - - T5 16mm (watt) - - - Size - - - Content for - - -		T8 26mm (watt) - - T5 16mm (watt) - - Size - - Content for - -		T5 16mm (watt) - - Size - - Content for - -		Size		Content for						Volume filter media	
Base designationTechnical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange from - toRange in daysRange in daysRange tank lengthOutput per hourOutput per dayHeightLengthDiameterForT5 16mm (watt)SizeContent for																																																	
Technical dataProduct nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange in litresRange from - toRange in daysRange tank lengthOutput tin wattsOutput per hourOutput per dayHeightLengthDiameterForT8 26mm (watt)SizeContent for																																																	
Product nameJBL CRISTALPROFI CLEARMEC e4/7/900/1,2JIArt. No.60175006Range in litresRange from - toRange in daysRange in daysRange tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthDiameterYoltageTS 16mm (watt)SizeContent for																																																	
Range in litres-Range from - to-Range from - to-Range in days-Range tank length-Output in watts-Output per hour-Output per day-Output per day-Height-Diameter-Voltage-For-T8 26mm (watt)-Size-Content for-	e15/1900/1,2 5017600																																																
Range in litres-Range from - to-Range from - to-Range in days-Range tank length-Output in watts-Output per hour-Output per day-Height-Length-Diameter-Voltage-For-T8 26mm (watt)-Size-Content for-	e15/1900/1,2																																																
Range from - to-Range in daysRange tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthVoltageForT5 16mm (watt)SizeContent for																																																	
Range in daysRange tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthDiameterYoltageT8 26mm (watt)SizeContent for																																																	
Range tank lengthOutput in wattsOutput per hourOutput per dayHeightLengthDiameterVoltageForT8 26mm (watt)SizeContent for																																																	
Output in wattsOutput per hourOutput per dayHeightLengthWidthDiameterForT8 26mm (watt)SizeSize																																																	
Output per hourOutput per dayHeightLengthWidthDiameterVoltageForT8 26mm (watt)T5 16mm (watt)SizeContent for																																																	
Output per day-HeightLengthWidthDiameterVoltageForT8 26mm (watt)T5 16mm (watt)SizeContent for																																																	
Height - - Length - - Width - - Diameter - - Voltage - - For - - T8 26mm (watt) - - Size - -																																																	
Length-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-																																																	
Width - - Diameter - - Voltage - - For - - T8 26mm (watt) - - T5 16mm (watt) - - Size - - Content for - -																																																	
Diameter - - Voltage - - - For - - - T8 26mm (watt) - - - T5 16mm (watt) - - - Size - - -																																																	
Voltage - - For - - T8 26mm (watt) - - T5 16mm (watt) - - Size - - Content for - -																																																	
For - - T8 26mm (watt) - - - T5 16mm (watt) - - - Size - - - Content for - - -																																																	
T8 26mm (watt) - - T5 16mm (watt) - - Size - - Content for - -																																																	
T5 16mm (watt) - - Size - - Content for - -																																																	
Size																																																	
Content for																																																	
Volume filter media																																																	

Hose connections pressure/out Hose connections suction/in



Technical data		
Delivery head	-	-





JBL CRISTALPROFI CLEARMEC e

Food type	•
Sub product type	-
Dosing	-





Additional information for the specialist trade sector

Article data		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600
VAT	19%	19%
Sales unit (SU)	3	3
Volume packaging	1.981	2.41
Dimensions (l/w/h)	70 mm/160 mm/177 mm	70 mm/175 mm/196 mm
Layer	120	72
Pallet	360	288
Category of products	2	2
Customs tariff	28182000	28182000
Country of origin	BE	BE
Type of packaging	Faltschachtel/Karton	Faltschachtel/Karton

PU 1 data		
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2
Art. No.	6017500	6017600
PU 1 material	film gr	film gr
PU 1 weight	3.7 g	3.8 g
PU 1 lengh	160 mm	175 mm
PU 1 width/depth	200 mm	220 mm
PU 1 height	180 mm	200 mm

PU 2 data			
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2	
Art. No.	6017500	6017600	
PU 2 material	cardboard gr	cardboard gr	
PU 2 weight	650 g	720 g	
PU 2 lengh	500 mm	550 mm	
PU 2 width/depth	370 mm	415 mm	
PU 2 height	360 mm	310 mm	

Trade data			
Product name	JBL CRISTALPROFI CLEARMEC e4/7/900/1,2	JBL CRISTALPROFI CLEARMEC e15/1900/1,2	
Art. No.	6017500	6017600	
Till receipt text	ClearMec+ e7/e9	ClearMec+ e1500	
Shelf placement	-	-	

