

External filter for aquariums from 90 - 300 litres

Suitable for: < 🖈 🏏 🛸



- External filter for clean and healthy aguarium water: closed water circuit for aguariums with 90 300 litres (80 - 120 cm)
- Fully equipped and ready to connect: built-in quick-start priming button, filter start without manual priming. Simple assembly
- Extremely smooth running at 900 l/h pump performance. Patented pre-filter system: high/biological filter performance with a volume of 7.6 l, water stop, 360° rotatable hose connections, easily exchangeable filter media
- TÜV tested, safe and energy-efficient: lower power consumption than previous models consistent performance
- Package contents: external filter unit for aquariums, JBL CristalProfi e901 greenline, incl. hoses & pipes 12/16 mm, intake strainer, elbow, suction cups, filter media (bio-filter balls and bio-filter foam), dimensions (L/H/W): 180 x 210 x 405 mm



greenline Energy-efficient internal filter for aquariums

greenline Energy-efficient internal filter for aquariums

Country: Singapore

Language: English



Energy-efficient internal filter

for aquariums









JBL FixSet Suction pads and spacers for external filters



JBL CRISTALPROFI UNIBLOC e Bio-filter foam insert for CristalProfi e



JBL OutSet spray Water outlet set with 2-part spray bar



JBL Aquarium Tubing GREY Pre-cut grey hose for aquariums & ponds



JBL CRISTALPROFI CLEARMEC e Nitrite, nitrate, phosphate remover for CristalProfi e



JBL Elbow piece Anti-kink protection for water hoses



JBL Aquarium tubing GREY on reel Grey-transparent hose wound on a reel



JBL InSet Suction pipe complete set for external filters



JBL AntiKink Anti-kink protection for hoses



JBL CombiBloc CristalProfi e Pre-filter pads and filter foam for CristalProfi e



JBL OutSet wide Outlet pipe with wide jet pipe for external filters



JBL CristalProfi Pulling Aid Impell. Bearing&Brush

Pulling aid and cleaning brush for impeller bearings







Accessories



JBL TopClean II Surface skimmer



JBL CRISTALPROFI **COMBIFILTER Basket II** filter basket replace. kit f. CristalProfi ext. filter



JBL Symec Filter floss Filter wool to remove all types of cloudiness



JBL FilterBag wide Container bag for coarse filter material



JBL SILICONE SPRAY Care spray for technical aquarium/garden pond items



JBL Symec XL Coarse filter wool to remove all types of water cloudiness



JBL SilicatEx Rapid

JBI

e 402 e 702 e 902

JBL CRISTALPROFI

COMBIBLOC II

Set with filter sponges for filter CristalProfi e (02)

JBL

SilicatEx

ilicatEv

PROF

COMBI**BLOC**//

JBL Symec VL Filter wool fleece to remove water cloudiness



JBL CRISTALPROFI SYMECPAD e 6 filter fleece f. JBL CristalProfi e external filters



JBL Carbomec ultra Highly activated pelletized carbon



JBL Fine Filter Foam Fine foam for filters to combat all kinds of water cloudiness









JBL Coarse Filter Foam Coarse foam for filters to combat all kinds of water cloudiness



JBL Carbomec activ High performance activated carbon for freshwater aquariums



JBL NitratEX Filter material for the rapid removal of nitrate (NO3)



JBL Sintomec Sintered bio-glass rings for breakdown of pollutants



JBL Symec micro Microfibre fleece against water cloudiness



JBL PhosEX ultra Filter material for the removal of phosphate



JBL Micromec Sintered bio-glass balls for breaking down pollutants



JBL Tormec activ Active peat pellets for freshwater aquariums



JBL FilterBag fine Container bag for aquarium filter material



JBL Cermec Ceramic filter tubes for aquarium filters




JBL ClearMec plus Nitrite, nitrate and phosphate remover



JBL Cleany Double-ended hose brush for hoses from 9-30 mm










JBL Aquarium tubing GREEN on reel Green-transparent hose wound on a plastic reel



GREEN Pre-cut green hose for aquariums & ponds










JBL CP e4/7/9/15/1900/1 stopcock set

JBL CP e clip for casing



6348810

JBL adapter UK for all flat-pin plugs




JBL CP e4/7/9/15/1900/1/2 handle screws



JBL CP e impeller cover seal



JBL CP e impeller cover



JBL CP e4/7/9/15/1900/1,2

pump head screws



JBL CP e pump head greenline



JBL CP e start button + union nut



JBL CP e bottom panel for start button



60146

JBL CP e union nut for hose connection



60143

JBL CP e seal connection block








JBL Tormec activ Active peat pellets for freshwater aquariums



JBL CP e pump head washer



JBL CP e pump head handle



JBL CP e4/7/9/1500/1/2

rubber buffer



JBL CP e pump head cover



JBL CP e filter canister



JBL CP e distributor plate



JBL CP e basket insert – top



JBL CP e impeller kit Complete spare impeller kit for JBL CristalProfi e



₆₀₁₁₉ JBL CP e standard

basket insert



JBL CP e hose connection block



JBL CP e casing clip







Product information

Clean and healthy water

Plant and food remains and metabolic substances lead to a deterioration of the quality of the water in the aquarium. Good water quality is necessary for healthy fish and plants. This can be achieved with aquarium filters. The filters suck in the aquarium water and remove the pollution and waste materials with the filter material from the water Filters also offer an ideal habitat for bacteria which decompose harmful substances.

Easy to install

The external filter is completely equipped and ready to connect. The built-in quick-start device makes the filter easy to install without the need for manual priming. The filter media are included in the contents.

Easy to clean

Replacing the easy to reach pre-filter means that you only rarely need to clean the rest of the filter. The large filter volume provides a high biological filtering performance involving several filter layers. The bio-filter balls inside have different diameters. This promotes the self-cleaning effect.

Energy efficient and safe


With only 11 W power consumption the CristalProfi e901 offers substantial energy savings. At an effective, sustained water circulation the device consumes 31 % less power than comparable previous models. The patented hose connection bloc with a safety valve prevents water leakage when disconnecting the filter. JBL CristalProfi is TÜV tested.

Further information	
FAQ	~
Blog	~
Press	~
Laboratory/calculator	×
Worth reading	~
Spare parts	~
Video	~
GarantiePlus	~
Instructions	×
QR code	

8

Country: Singapore

Language: English



Article data	
Product name	JBL CristalProfi e901 greenline
Art. No.	6021100
EAN number	4014162602114
EAN as barcode	
Performance	900 l/h
Watt	11 W
Expiry months	-
RRP incl. VAT	-
Base price	-
Nominal filling quantity	-
Base quantity	1
Gross weight	6020 g
Net weight	5130 g
Weight change	1000

Disposal	
Product name	JBL CristalProfi e901 greenline
Art. No.	6021100
Green dot	✓
Group electronic waste	X Beleuchtungskörper
Disposal weight	1400 g
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	-
РРК	890 g
Plastic small	-
Plastic large	-
Disposal weight metal	0 g

Features	
Product name	JBL CristalProfi e901 greenline
Art. No.	6021100
Animal species	Arowana, Axoloti, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Corals, Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Tetra, freshwater butterflyfish, turtle



Features	
Animal size	For all animal sizes
Animal age group	All aquarium fish
Volume of habitat	90-300 L (80-120cm)
Material	plastic (material mix: ABS, SAN, POM) / metal (copper)
Food type	-
Colour	silver / black
Dosage	-
Transport conditions	-





Electronic label / illuminant	
Product name	JBL CristalProfi e901 greenline
Art. No.	6021100
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-
Technical data	
Product name	JBL CristalProfi e901 greenline

Product nameJBL CristalProfi e901 greenlineArt. No.6021100Range in litres-Range from - to-Range from - to-Range in days-Range tank length-Output in watts-Output per hour-Output per day-Height-Length-Vidth-Diameter-Voltage-For-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections suction/in-Delivery head-	lechnical data	
Range in litres-Range from - to-Range in days-Range in days-Range tank length-Output in watts-Output per hour-Output per day-Height-Length-Vidth-Diameter-Voltage-For-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Product name	JBL CristalProfi e901 greenline
Range from - to-Range in days-Range tank length-Output in watts-Output per hour-Output per day-Height-Length-Vidth-Diameter-Yoltage-For-T8 26mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Art. No.	6021100
Range in days-Range tank length-Output in watts-Output per hour-Output per day-Height-Length-Width-Diameter-Voltage-For-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Range in litres	-
Range tank length-Output in watts-Output per hour-Output per day-Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Range from - to	-
Output in watts-Output per hour-Output per day-Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-	Range in days	-
Output per hour-Output per day-Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Range tank length	-
Output per day-Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Output in watts	-
Height-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Output per hour	-
Length-Length-Width-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Output per day	-
Width-Diameter-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Height	-
Diameter-Diameter-Voltage-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Length	-
VoltageFor-For-T8 26mm (watt)-T5 16mm (watt)-Size-Content for-Filter container volume-Volume filter media-Hose connections pressure/out-Hose connections suction/in-	Width	-
For - For - T8 26mm (watt) - T5 16mm (watt) - Size - Content for - Filter container volume - Volume filter media - Hose connections pressure/out -	Diameter	-
T8 26mm (watt) - T5 16mm (watt) - Size - Content for - Filter container volume - Volume filter media - Hose connections pressure/out - Hose connections suction/in -	Voltage	-
T5 16mm (watt) - Size - Content for - Filter container volume - Volume filter media - Hose connections pressure/out - Hose connections suction/in -	For	-
Size - Content for - Filter container volume - Volume filter media - Hose connections pressure/out - Hose connections suction/in -	T8 26mm (watt)	-
Content for - Filter container volume - Volume filter media - Hose connections pressure/out - Hose connections suction/in -	T5 16mm (watt)	-
Filter container volume - Volume filter media - Hose connections pressure/out - Hose connections suction/in -	Size	-
Volume filter media - Hose connections pressure/out - Hose connections suction/in -	Content for	-
Hose connections pressure/out - Hose connections suction/in -	Filter container volume	-
Hose connections suction/in -	Volume filter media	-
	Hose connections pressure/out	-
Delivery head -	Hose connections suction/in	-
	Delivery head	-



Food type	-
Sub product type	-
Dosing	-





Additional information for the specialist trade sector

Article data	
Product name	JBL CristalProfi e901 greenline
Art. No.	6021100
VAT	19%
Sales unit (SU)	1
Volume packaging	28.041
Dimensions (l/w/h)	240 mm/285 mm/410 mm
Layer	12
Pallet	48
Category of products	3
Customs tariff	84212100
Country of origin	CN
Type of packaging	Faltschachtel/Karton

PU 1 data	
Product name	JBL CristalProfi e901 greenline
Art. No.	6021100
PU 1 material	cardboard gr
PU 1 weight	620 g
PU 1 lengh	500 mm
PU 1 width/depth	298 mm
PU 1 height	425 mm

PU 2 data	
Product name	JBL CristalProfi e901 greenline
Art. No.	6021100
PU 2 material	None
PU 2 weight	-
PU 2 lengh	-
PU 2 width/depth	-
PU 2 height	-

Trade data	
Product name	JBL CristalProfi e901 greenline
Art. No.	6021100
Till receipt text	CristalPr. e901
Shelf placement	-

