



Foam cartridge for Cristal Profi i







- Clear and healthy water: replacement foam cartridge for aquarium filters CristalProfi i60-200
- Use: add FilterStart, insert into filter module
- Foam with ideal service life thanks to 20 ppi pores (ppi = pores per inch/2.5 cm), effective mechanical and biological filtering.
- No release of harmful substances: 100% water neutral synthetic material
- Package contents: 1 replacement foam cartridge (without internal strainer tube)



You may also be interested in

You can find a complete overview here: https://www.jbl.de/qr/60928





JBL CRISTALPROFI i greenline module Filter module for internal filter series CristalProfi i

Date: 01.01.2024 Produced by:

Country: New Zealand Language: English









Product information

Quality of foam:

Foams used in aquaristics with live animals must always be subjected to a pollutant test, as most plastics release problematic plasticisers into the water. All the plastics used by JBL have passed this test and do NOT release any harmful substances into the water.

Cleaning of plastics:

For many months it is sufficient to rinse the dirty filter sponges under lukewarm running water and then inoculate them with filter bacteria (JBL FilterStart) before using them again. However, as mechanical cleaning NEVER leads to complete cleaning and dirt will remain in the filter sponge, it is recommended

you replace the filter sponges about every 6 months.

If you place a freshly cleaned filter sponge in a glass of clean water overnight, you will be able to smell how much dirt is still present in the supposedly clean sponge the next morning!

Inoculating filter material with cleansing bacteria:
Initial colonisation of filter material with cleansing bacteria takes about 1-2 weeks in freshwater and twice as long in seawater. If the filter material was already in use, the time for a "recolonisation" is doubled, as recolonisation does not take place so easily on dead bacterial lawns. The addition of concentrated cleaning bacteria such as in JBL FilterStart shortens the biological start-up time to about

Another reason is to fill the existing settlement space in the filter material with beneficial bacteria so that pathogenic germs find no place to spread. This has now been scientifically proven.

Further information	
FAQ	~
Blog	~
Press	×
Laboratory/calculator	×
Worth reading	~
Spare parts	×
Video	~
GarantiePlus	×
Instructions	~
QR code	









Product details

Article data	
Product name	JBL UniBloc CristalProfi i60/80/100/200
Art. No.	6092800
EAN number	4014162609281
EAN as barcode	
Content	1 piece(s)
For CPi	60-200
Expiry months	-
RRP incl. VAT	6,75 €
Base price	-
Nominal filling quantity	-
Base quantity	1
Gross weight	36 g
Net weight	4 g
Weight change	1000

Disposal	
Product name	JBL UniBloc CristalProfi i60/80/100/200
Art. No.	6092800
Green dot	✓
Group electronic waste	-
Disposal weight	-
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	-
PPK	32 g
Plastic small	-
Plastic large	-
Disposal weight metal	0 g

Features	
Product name	JBL UniBloc CristalProfi i60/80/100/200
Art. No.	6092800



Date: 01.01.2024 Produced by:

3

TECHNICAL PRODUCTS TECHNIK TECHNIQUE





Features	
Animal species	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Corals, Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Gobies, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Mussels, Newts, Panchaxes, Rainbowfish, Snails, Spiny eels, Terrapins, Tetra, Tropical terrapins, Veitlails, freshwater butterflyfish, turtle
Animal size	2 - 10 cm
Animal age group	Small and medium-sized aquarium fish
Volume of habitat	200 L
Material	polyether
Food type	-
Colour	blue
Dosage	-
Transport conditions	-







Electronic label / illuminant	
Product name	JBL UniBloc CristalProfi i60/80/100/200
Art. No.	6092800
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-

Technical data	
Product name	JBL UniBloc CristalProfi i60/80/100/200
Art. No.	6092800
Range in litres	-
Range from - to	-
Range in days	-
Range tank length	-
Output in watts	-
Output per hour	-
Output per day	-
Height	-
Length	-
Width	-
Diameter	-
Voltage	-
For	-
T8 26mm (watt)	-
T5 16mm (watt)	-
Size	-
Content for	-
Filter container volume	-
Volume filter media	-
Hose connections pressure/out	-



TECHNICAL PRODUCTS TECHNIK TECHNIQUE





Technical data	
Hose connections suction/in	-
Delivery head	-







Food type	-
Sub product type	-
Dosing	-



Date: 01.01.2024 Produced by:







Additional information for the specialist trade sector

Article data		
Product name	JBL UniBloc CristalProfi i60/80/100/200	
Art. No.	6092800	
VAT	19%	
Sales unit (SU)	3	
Volume packaging	0.551	
Dimensions (l/w/h)	74 mm/74 mm/100 mm	
Layer	630	
Pallet	1260	
Category of products	2	
Customs tariff	39269097	
Country of origin	CN	
Type of packaging	Faltschachtel/Karton	

PU 1 data	
Product name	JBL UniBloc CristalProfi i60/80/100/200
Art. No.	6092800
PU 1 material	film gr
PU 1 weight	2.6 g
PU 1 lengh	75 mm
PU 1 width/depth	220 mm
PU 1 height	100 mm

PU 2 data	
Product name	JBL UniBloc CristalProfi i60/80/100/200
Art. No.	6092800
PU 2 material	cardboard gr
PU 2 weight	650 g
PU 2 lengh	400 mm
PU 2 width/depth	420 mm
PU 2 height	340 mm

Trade data	
Product name	JBL UniBloc CristalProfi i60/80/100/200
Art. No.	6092800
Till receipt text	UB CPi80-200
Shelf placement	-



01.01.2024 Date: Produced by: