



To calibrate and store pH electrodes

Suitable for:







- Professional use of pH electrodes for aquariums: complete set for calibration
- Easy to use: fill calibration solutions into cuvettes. Immerse pH electrode in calibration solutions according to instructions and rinse afterwards
- pH electrodes need to be readjusted (calibrated) every 30 max. 60 days. To do this, they are immersed in calibration liquids with a given pH value and the device then readjusts itself
- Only 5-10 ml calibration liquid is needed per calibration procedure. Then rinse with distilled water (included in the set)
- Package contents: calibration set for pH electrodes, incl. calibration solution pH 7 and pH 4 (50 ml each), distilled water for rinsing (50 ml), 3 cuvettes



Country: United Arab Emirates

Language: English









JBL PF CO2 CALIBRATION tray To keep the cuvettes upright during calibration









Healthy fish and plants
The acidity defines the pH value of the water. It needs to be constantly checked then adjusted as necessary to maintain the health of the fish and plants. The right pH value depends on the fish stock of the aquarium. A wrong pH value can cause stress and diseases. Using an electrode, the value can be precisely measured.

Cleaning and care of electrodes

Bacteria, lime and other impurities which settle on the electrode can falsify the real pH value. The regular cleaning and calibration of the electrode ensure precise measurement and an unaltered pH value.

Easy to use Fill 10 ml of each of the two calibration liquids (pH 7 and pH 4) into cuvettes. Fill the third cuvette with distilled water. Remove the electrode from the aquarium and dry it. Immerse the electrode in the calibration solutions in the order given in the instructions, rinsing each time. The complete set contains all the liquids required for the professional and regular calibration.


Further information	
FAQ	✓
Blog	~
Press	×
Laboratory/calculator	×
Worth reading	~
Spare parts	~
Video	~
GarantiePlus	×
Instructions	×
QR code	



30.12.2023 Date: Produced by:







Article data	
Product name	JBL PROFLORA CO2 CALIBRATION SET
Art. No.	6465200
EAN number	4014162646521
EAN as barcode	
Content	3x50 ml
-	-
Expiry months	36
RRP incl. VAT	18,77 €
Base price	-
Nominal filling quantity	-
Base quantity	1
Gross weight	333 g
Net weight	270 g
Weight change	-

Disposal	
Product name	JBL PROFLORA CO2 CALIBRATION SET
Art. No.	6465200
Green dot	✓
Group electronic waste	-
Disposal weight	-
Battery type	-
Battery return	-
Battery rechargeable	-
Disposal weight battery	-
Non-returnable glass	-
PPK	30 g
Plastic small	33 g
Plastic large	-
Disposal weight metal	0 g

Features	
Product name	JBL PROFLORA CO2 CALIBRATION SET
Art. No.	6465200
Animal species	Arowana, Axolotl, Barbels, Bettas, Bichirs/reedfish, Blowfish, Catfish, Cichlids (South America), Crayfish, Danions, Discus, Dwarf shrimps, Flowerhorn, Goldfish, Gouramis, Guppy, Juvenile fish, Killifish, Livebearers, Loaches, Panchaxes, Rainbowfish, Snails, Spiny eels, Tetra, Veiltails, freshwater butterflyfish

30.12.2023 Date: Produced by:



TECHNICAL PRODUCTS TECHNIK TECHNIQUE





Features	
Animal size	For all animal sizes
Animal age group	All aquarium fish
Volume of habitat	For all aquariums
Material	Plastic (PVC) / plastic (PE)
Food type	-
Colour	blue / red / transparent
Dosage	-
Transport conditions	-







Electronic label / illuminant	
Product name	JBL PROFLORA CO2 CALIBRATION SET
Art. No.	6465200
Ambient temperature	-
Start time	-
Mercury	-
Tube length	-
Service life	-
Lumen	-
CRI value	-
Dimmable	-
Switching cycles	-
PAR value	-
Energy efficiency class	-
UV-A	-
UV-B	-
UV-C	-
Colour temperature	-
Base designation	-

Technical data	
Product name	JBL PROFLORA CO2 CALIBRATION SET
Art. No.	6465200
Range in litres	-
Range from - to	-
Range in days	-
Range tank length	-
Output in watts	-
Output per hour	-
Output per day	-
Height	105 mm
Length	86 mm
Width	86 mm
Diameter	-
Voltage	-
For	-
T8 26mm (watt)	-
T5 16mm (watt)	-
Size	-
Content for	-
Filter container volume	-
Volume filter media	-
Hose connections pressure/out	-
Hose connections suction/in	-



Date: 30.12.2023 Produced by:

TECHNICAL PRODUCTS TECHNIK TECHNIQUE





Technical data	
Delivery head	-







Food type	-
Sub product type	-
Dosing	-



Date: 30.12.2023 Produced by:







Additional information for the specialist trade sector

Article data	
Product name	JBL PROFLORA CO2 CALIBRATION SET
Art. No.	6465200
VAT	19%
Sales unit (SU)	3
Volume packaging	0.991
Dimensions (l/w/h)	86 mm/86 mm/135 mm
Layer	72
Pallet	720
Category of products	3
Customs tariff	84819000
Country of origin	DE
Type of packaging	Faltschachtel/Karton

PU 1 data	
Product name	JBL PROFLORA CO2 CALIBRATION SET
Art. No.	6465200
PU 1 material	film gr
PU 1 weight	4 g
PU 1 lengh	86 mm
PU 1 width/depth	258 mm
PU 1 height	125 mm

PU 2 data	
Product name	JBL PROFLORA CO2 CALIBRATION SET
Art. No.	6465200
PU 2 material	None
PU 2 weight	-
PU 2 lengh	-
PU 2 width/depth	-
PU 2 height	-

Trade data	
Product name	JBL PROFLORA CO2 CALIBRATION SET
Art. No.	6465200
Till receipt text	CO2 CALIBRATION
Shelf placement	-



Date: 30.12.2023 Produced by: