



P

JBL PROPOND STERLET S

Complete food for small sterlets

Suitable for: 🔺



- Complete food with the right protein/fat ratio 3:1 in accordance with the NEO index which takes temperature, function, animal size and age into account
- With salmon, shrimp, octopus, spirulina and gammarus for a natural diet for sterlets (at 10-25 °C water temperature)

Food size S (3 mm) for fish from 10-30 cm

- Sinking pearls with 40 % protein, 12 % fat, 2 % crude fibre and 8 % crude ash
- Small food pearls in resealable bag (air, water and lightproof) for the preservation of quality



You may also be interested in You can find a co

You can find a complete overview here: https://www.jbl.de/qr/41276





JBL PROPOND ALL SEASONS S All-season food for small koi & pond fish



JBL PROPOND ALL SEASONS M All-season food for koi and pond fish



JBL PROPOND GOLDFISH S Food sticks for small goldfish



JBL PROPOND GOLDFISH M Food sticks for medium-sized to large goldfish





Product information

Sturgeons are very special fish. Their body shape indicates their way of life: They swim near the ground and use their barbels (chemosensor organ) to feel for small invertebrates, which they would eat in the wild. JBL ProPond Sterlet has been adapted to suit these eating habits, both in its composition (increased share of invertebrates) and in its sinking behaviour. Even if sturgeons can learn to feed at the water surface, this feeding behaviour doesn't represent their natural behaviour and harbours the risk of excessive air swallowing. Sturgeons should always be fed with their own food because it has a dedicated composition and the sturgeons could hurt the koi's mucous membrane with their bone plates when fighting for their food. In practice you can feed your goldfish and koi on the surface at a corner of the pond and your sturgeons with sinking sturgeon food at the other corner.

Further information	
FAQ	✓
Blog	✓
Press	✓
Laboratory/calculator	×
Worth reading	✓
Spare parts	×
Video	✓
GarantiePlus	×
Instructions	×
QR code	



2



Product details

Article data				
Product name	JBL PROPOND STERLET S 0.5 kg	JBL PROPOND STERLET S 1.5 kg	JBL PROPOND STERLET S 3.0 kg	JBL PROPOND STERLET S 0.5kg
Art. No.	4127600	4127700	4127800	4128100
EAN number	4014162412768	4014162412775	4014162412782	4014162412812
EAN as barcode				
Weight	0,5 kg	1,5 kg	3,0 kg	0,5 kg
Size	11	31	61	11
Expiry months	36	36	36	36
RRP incl. VAT	12,63€	32,49 €	55,46 €	13,18€
Base price	25.26€	21.66€	18.49€	26.36€
Nominal filling quantity	0.5 kg	1.5 kg	3 kg	0.5 kg
Base quantity	1 kg	1 kg	1 kg	1 kg
Gross weight	578.9 g	1538 g	3054 g	579.956 g
Net weight	500 g	1500 g	3000 g	500 g
Weight change	-	-	-	-
Disposal				
Product name	JBL PROPOND STERLET S 0.5 kg	JBL PROPOND STERLET S 1.5 kg	JBL PROPOND STERLET S 3.0 kg	JBL PROPOND STERLET S 0.5kg
Art. No.	4127600	4127700	4127800	4128100
Green dot	✓	✓	 ✓ 	 ✓
Group electronic waste	-	-	-	-
Disposal weight	-	-	-	-
Battery type	-	-	-	-
Battery return	-	-	-	-

2.21				
Battery return	-	-	-	-
Battery rechargeable	-	-	-	-
Disposal weight battery	-	-	-	-
Non-returnable glass	-	-	-	-
РРК	-	-	-	-
Plastic small	78.9 g	38 g	-	79.96 g
Plastic large	-	-	54 g	-
Disposal weight metal	0 g	0 g	0 g	0 g

Features				
Product name JBL PROPOND STERLET S 0.5 kg		JBL PROPOND STERLET S 1.5 kg	JBL PROPOND STERLET S 3.0 kg	JBL PROPOND STERLET S 0.5kg
Art. No.	4127600	4127700	4127800	4128100
Animal species	Sturgeons	Sturgeons	Sturgeons	Sturgeons
Animal size	10 - 30 cm			
Animal age group	Small sterlets	Small sterlets	Small sterlets	Small sterlets
Volume of habitat	For all ponds	For all ponds	For all ponds	For all ponds
Material	You will find details of the materials used under Details & Composition	You will find details of the materials used under Details & Composition	You will find details of the materials used under Details & Composition	You will find details of the materials used under Details & Composition









Features				
Food type	sinking pearls	sinking pearls	sinking pearls	sinking pearls
Colour	brown	brown	brown	brown
Dosage	Feed 1 – 2 times a day, as much as can be eaten within a few minutes	Feed 1 – 2 times a day, as much as can be eaten within a few minutes	Feed 1 – 2 times a day, as much as can be eaten within a few minutes	Feed 1 – 2 times a day, as much as can be eaten within a few minutes
Transport conditions	-	-	-	-





Electronic label / illumina	nt													
Product name	JBL PROPOND STERLET S 0.5 kg	JBL PROPOND STERLET S 1.5 kg	JBL PROPOND STERLET S 3.0 kg	JBL PROPOND STERLET S 0.5kg										
Art. No.	4127600	4127700	4127800	4128100										
Ambient temperature	-	-	-	-										
Start time	-	-	-	-										
Mercury	-	-	-	-										
Tube length	-	-	-	-										
Service life	-	-	-	-										
Lumen	-	-	-	-										
CRI value	-	-	-	-										
Dimmable	-	-	-	-										
Switching cycles	-	-	-	-										
PAR value	-	-	-	-										
Energy efficiency class	-	-	-	-										
UV-A	-	-	-	-										
UV-B	-	-	-	-										
UV-C	-	-	-	-										
Colour temperature	-	-	-	-										
Base designation	-	-	-	-										
5	<u></u>													
Technical data														
Product name	JBL PROPOND STERLET S 0.5 kg	JBL PROPOND STERLET S 1.5 kg	JBL PROPOND STERLET S 3.0 kg	JBL PROPOND STERLET S 0.5kg										
Art. No.	4127600	4127700	4127800	4128100										
Range in litres	-	-	-	-										
Range from - to	-	-	-	-										
Range in days	-	-	-	-										
Range tank length	-	-	-	-										
Output in watts														
1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	-	-	-	-										
	-		-	-										
Output per hour Output per day	- - -	- - -	- - -											
Output per hour Output per day		- - - -	- - -	-										
Output per hour Output per day Height	-	- - - -	- - - -	-										
Output per hour Output per day Height Length	-	- - - - -	- - - - -	-										
Output per hour Output per day Height Length Width	- - -	- - - - - - - -	- - - - - -	- - - -										
Output per hour Output per day Height Length Width Diameter	- - -	- - - - - - - - - - -	- - - - - - - - -	- - - -										
Output per hour Output per day Height Length Width Diameter Voltage	- - - -	- - - - - - - - - - - -	- - - - - - - - - - - - -	- - - -										
Dutput per hour Dutput per day Height Length Midth Diameter Voltage For	- - - -	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - -	- - - - - - - -										
Dutput per hour Dutput per day Height Length Midth Diameter Voltage For T8 26mm (watt)	· · · · · · · · · · · · · · · · · · ·	-	- - - - - - - - - - - - - -	- - - - - - - - - -										
Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt)	· · · · · · · · · · · · · · · · · · ·	- -	- - - - - - - - - - - - - - - - - - -											
Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size	· · · · · · · · · · · · · · · · · · ·	- -	- - - - - - - - - - - - - -											
Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for	· · · · · · · · · · · · · · · · · · ·	- -												
Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for Filter container volume	· · · · · · · · · · · · · · · · · · ·	- -	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <tr td=""> <!--</td--><td></td></tr> <tr><td>Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for Filter container volume Volume filter media</td><td>· · · · · · · · · · · · · · · · · · ·</td><td>- -</td><td></td><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></tr> <tr><td>Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for Filter container volume</td><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- -</td><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></td<></td></td<></td></tr>		Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for Filter container volume Volume filter media	· · · · · · · · · · · · · · · · · · ·	- -		- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -	Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for Filter container volume	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- -</td><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></td<></td></td<>	- -	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></td<>	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for Filter container volume Volume filter media	· · · · · · · · · · · · · · · · · · ·	- -		- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -										
Output per hour Output per day Height Length Width Diameter Voltage For T8 26mm (watt) T5 16mm (watt) Size Content for Filter container volume	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- -</td><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></td<></td></td<>	- -	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td>- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -</td></td<>	- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -										



Delivery head





Food type	sinking pearls
Sub product type	complete food for ornamental fish
Dosing	Feed 1 – 2 times a day, as much as can be eaten within a few minutes

Analytical components



Crude protein	40 %
Fat content	12 %
Crude fibre	2 %
Crude ash	8 %

III Composition



wheat germs
salmon meal
wheat meal
shrimp meal
octopus meal
wheat gluten
gammarus
spirulina
rice meal
guar gum
green meal

II+ Additives

Colourings	
are not added by JBL	

Vitamins, provitamins and other chemically defined substances having a similar effect (per 1000 g)		
Vitamin A	25000 I. E.	
Vitamin D₃	2000 I. E.	
Vitamin E	300 mg	
Vitamin C(stable)	200 mg	





Additional information for the specialist trade sector

Article data				
Product name	JBL PROPOND STERLET S 0.5 kg	JBL PROPOND STERLET S 1.5 kg	JBL PROPOND STERLET S 3.0 kg	JBL PROPOND STERLET S 0.5kg
Art. No.	4127600	4127700	4127800	4128100
VAT	7%	7%	7%	7%
Sales unit (SU)	3	1	1	3
Volume packaging	1.721	4.371	8.41	1.26
Dimensions (l/w/h)	98 mm/98 mm/179 mm	70 mm/195 mm/320 mm	85 mm/250 mm/395 mm	90 mm/90 mm/198 mm
Layer	144	56	28	192
Pallet	576	280	84	576
Category of products	1	1	1	1
Customs tariff	23099041	23099041	23099041	23099041
Country of origin	DE	DE	DE	DE
Type of packaging	can	Bag / sack	Bag / sack	can
PU 1 data				
Product name	JBL PROPOND STERLET S 0.5 kg	JBL PROPOND STERLET S 1.5 kg	JBL PROPOND STERLET S 3.0 kg	JBL PROPOND STERLET S 0.5kg
Art. No.	4127600	4127700	4127800	4128100
PU 1 material	film gr	cardboard gr	cardboard gr	film gr
PU 1 weight	7 g	430 g	490 g	9.39 g
PU 1 lengh	103 mm	395 mm	360 mm	270 mm
PU 1 width/depth	300 mm	295 mm	265 mm	90 mm
PU 1 height	179 mm	285 mm	330 mm	198 mm
PU 2 data				
Product name	JBL PROPOND STERLET S 0.5 kg	JBL PROPOND STERLET S 1.5 kg	JBL PROPOND STERLET S 3.0 kg	JBL PROPOND STERLET S 0.5kg
Art. No.	4127600	4127700	4127800	4128100
PU 2 material	cardboard gr	None	None	cardboard gr
PU 2 weight	510 g	-	-	468 g
PU 2 lengh	315 mm	-	-	284 mm
PU 2 width/depth	415 mm	-	-	374 mm
PU 2 height	340 mm	-	-	408 mm
Trade data				
Product name	JBL PROPOND STERLET S 0.5 kg	JBL PROPOND STERLET S 1.5 kg	JBL PROPOND STERLET S 3.0 kg	JBL PROPOND STERLET S 0.5kg
Art. No.	4127600	4127700	4127800	4128100
Till receipt text	PP SterletS0.5	PP SterletS1.5	PP SterletS3.0	PP SterletS 0.5
Shelf placement	-	-	-	-



7